

# SAFETY DATA SHEET

### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### PRODUCT NAME: Aniseed Essential Oil

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 OAF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: 1 CAS NUMBER: 8007-70-3 EC NUMBER: 283-518-1 **INCI:** Pimpinella Anisum **IDENTIFIED USES: Fragrance** BIOLOGICAL DEFINITION: The volatile essential oil is derived from the dried ripe fruit and seeds

### **2: HAZARDS IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

### CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Not Classified
-	HEALTH HAZARDS:	Skin Sens. 1 - H317
		Muta. 2 - H341
		Carc. 2 - H351
-	ENVIRONMENTAL HAZARDS:	Aquatic Chronic 3 - H412

### LABEL ELEMENTS



WARNING

SIGNAL WORD:	WARNING
HAZARD STATEMENTS:	H317 May cause an allergic skin reaction.
	H341 Suspected of causing genetic defects.
	H351 Suspected of causing cancer.
	H412 Harmful to aquatic life with long lasting effects.
PRECAUTIONARY STATEMENTS:	P202 Do not handle until all safety precautions have been read and understood.
	P261 Avoid breathing vapour/ spray.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P308+P313 IF exposed or concerned: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/
	attention.

### SDS: 1 Aniseed Essential Oil

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs- Date: 10/07/2019 - Version: 3



SUPPLEMENTARY PRECAUTIONARY	P201 Obtain special instructions before use.
STATEMENTS:	P272 Contaminated work clothing should not be allowed out of the
	workplace.
	P273 Avoid release to the environment.
	P321 Specific treatment (see medical advice on this label).
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
CONTAINS:	Anethole , allylanisole (estragole) , limonene, 3,7,7-
	Trimethylbicyclo[4.1.0]-3-heptene (3-carene) , pin-2(3)-ene (alpha- pinenes)

#### **3: COMPOSITION/INFORMATION ON INGREDIENTS**

ANETHOLE	60-100%
CAS number:	104-46-1
EC number:	203-205-5
Classification:	Skin Sens. 1B - H317
ALLYLANISOLE (ESTRAGOLE)	1-5%
CAS number:	140-67-0
EC number:	205-427-8
Classification:	Acute Tox. 4 - H302
	Skin Sens. 1B - H317
	Muta. 2 - H341
	Carc. 2 - H351
LINALOOL	1-5%
CAS number:	78-70-6
EC number:	201-134-4
Classification:	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
LIMONENE	1-5%
CAS number:	138-86-3
EC number:	205-341-0
M factor (Acute):	1
M factor (Chronic):	1
Classification:	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410



#### 3,7,7-TRIMETHYLBICYCLO[4.1.0]-3-HEPTENE (3-CARENE) <1% CAS number: 13466-78-9 EC number: 236-719-3 Classification: Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411 PIN-2(3)-ENE (ALPHA-PINENES) <1% CAS number: 80-56-8 EC number: 201-291-9 M factor (Acute): 1 M factor (Chronic): 1 Classification: Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4: FIRST AID MEASURES

INHALATION:	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.
5: FIREFIGHTING MEASURES	
EXTINGUISHING MEDIA RECOMMENDED:	Foam, carbon dioxide or dry powder.

EXTINGUISHING MEDIA RECOMMENDED:	Foam, carbon dioxide of dry powder.
UNSUITABLE EXTINGUISHING MEDIA:	Water.
SPECIFIC HAZARDS:	Toxic gases or vapours.
PROTECTIVE ACTIONS DURING FIREFIGHTING:	Containers close to fire should be removed or cooled with water.
SPECIAL PROTECTIVE EQUIPMENT FOR	Wear positive-pressure self-contained breathing apparatus (SCBA)
FIREFIGHTERS:	and appropriate protective clothing.



### 6: ACCIDENTAL RELEASE MEASURES

Personal precautions:	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
<b>ENVIRONMENT PRECAUTIONS:</b>	Do not discharge into drains or watercourses or onto the ground.
CLEANING UP METHODS FOR SPILLAGES:	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.
7: HANDLING AND STORAGE	
USAGE PRECAUTIONS:	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.
OCCUPATIONAL HYGIENE:	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.
STORAGE PRECAUTIONS:	Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.



8: EXPOSURE CONTROLS/PERSONAL PROTECTION



APPROPRIATE ENGINEERING CONTROLS:	Provide adequate ventilation.
EYE/FACE PROTECTION:	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
HAND PROTECTION:	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
OTHER SKIN AND BODY PROTECTION:	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
HYGIENE MEASURES:	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
RESPIRATORY PROTECTION:	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
ENVIRONMENTAL EXPOSURE CONTROLS:	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### **<u>9: PHYSICAL AND CHEMICAL PROPERTIES</u>**

APPEARANCE:
COLOUR:
ODOUR:
FLASH POINT °C:
SPECIFIC GRAVITY @ 20°C:
Refractive index @ 20°C:

Liquid. Colourless to pale yellow. Characteristic. 94°C ~ 0.986 @ 20°C ~ 1.556 @ 20°C

### **10: STABILITY AND REACTIVITY**

CHEMICAL STABILITY:	Stable at normal ambient temperatures.
POSSIBILITY OF HAZARDOUS REACTIONS:	Will not polymerise.
CONDITIONS TO AVOID:	Avoid heat, flames and other sources of ignition.
MATERIALS TO AVOID:	Strong oxidising agents. Strong acids. Strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.



11: TOXICOLOGICAL INFORMATION	
ATE ORAL (MG/KG):	25,102.04
SKIN CONTACT:	May cause an allergic skin reaction.
ACUTE AND CHRONIC HEALTH HAZARDS:	Suspected of causing genetic defects. Suspected of causing cancer.
ANETHOLE	
Acute toxicity oral (LD₅₀mg/kg)	3,000.0
Species	Mouse
ATE oral (mg/kg)	3,000.0
Allylanisole (Estragole)	
Acute toxicity oral (LD₅omg/kg)	1,230.0
Species	Rat
ATE oral (mg/kg)	1,230.0
<b>12: ECOLOGICAL INFORMATION</b>	
Есотохісіту:	Harmful to aquatic life with long lasting effects.
Τοχιςιτγ:	
LIMONENE	
ACUTE AQUATIC TOXICITY	
LE(C) <sub>50</sub> :	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
CHRONIC AQUATIC TOXICITY	
M factor (Chronic)	1
PERSISTENCE AND DEGRADABILITY:	The product is expected to be biodegradable.
BIOACCUMULATIVE POTENTIAL:	The product does not contain any substances expected to be
	bioaccumulating.
MOBILITY IN SOIL:	The product is insoluble in water.
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or vPvB.
13: DISPOSAL CONSIDERATIONS	
DISPOSAL METHODS:	Dispose of waste product or used containers in accordance with local regulations.
<b>14: TRANSPORT INFORMATION</b>	
GENERAL:	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
UN NUMBER:	Not applicable.
PROPER SHIPPING NAME:	Not applicable.
TRANSPORT HAZARD CLASS(ES):	No transport warning sign required.
PACKING GROUP:	Not applicable
ENVIRONMENTAL HAZARDS:	Environmentally hazardous substance/marine pollutant: No.
LINVINONIVILINIAL HAZANDS.	,
TRANSPORT IN BULK ACCORDING TO ANNEX II	Not applicable.



### **15: REGULATORY INFORMATION**

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Workplace Exposure Limits EH40.

**GUIDANCE:** 

EU LEGISLATION:

### **16: OTHER INFORMATION**

KEY LITERATURE REFERENCES AND SOURCES FOR DATA European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.