

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Bog Myrtle Essential Oil

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 104

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

PHYSICAL HAZARDS: Flam. Liq. 3 - H226
 HEALTH HAZARDS: Skin Irrit. 2 - H315
 Eye Irrit. 2 - H319

Skin Sens. 1 - H317 Asp. Tox. 1 - H304

- ENVIRONMENTAL HAZARDS: Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H317 May cause an allergic skin reaction.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.



PRECAUTIONARY STATEMENTS: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

insing.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

SUPPLEMENTARY PRECAUTIONARY

P233 Keep container tightly closed.

STATEMENTS:

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing.

Rinse skin with water/shower.

P321 Specific treatment (see medical advice on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or

water fog to extinguish. P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national

regulations.

CONTAINS: Limonene, Pin-2(10)-Ene (Beta-Pinenes), Eugenol, Eucalyptol, Pin-2(3)-

Ene (Alpha-Pinenes), Beta-Caryophyllene, Geranyl Acetate, Geraniol, P-

Mentha-1,4(8)-Diene (Terpinolene)



3: COMPOSITION/INFORMATION ON INGREDIENTS

| 3: COMPOSITION/INFORMATION ON INGREDIENTS | | | | | |
|---|--------------------------|--|--|--|--|
| 30-60% LIMONENE | | | | | |
| CAS number: 138-86-3 | EC number: 205-341-0 | | | | |
| M factor (Acute): | 1 | | | | |
| M factor (Chronic): | 1 | | | | |
| Classification: | - Flam. Liq. 3 - H226 | | | | |
| | Skin Irrit. 2 - H315 | | | | |
| | Skin Sens. 1 - H317 | | | | |
| | Asp. Tox. 1 - H304 | | | | |
| | Aquatic Acute 1 - H400 | | | | |
| | Aquatic Chronic 1 - H410 | | | | |
| 10-30% PIN-2(10)-ENE (BETA-PINENES) | · | | | | |
| CAS number: 127-91-3 | EC number: 204-872-5 | | | | |
| M factor (Acute): | 1 | | | | |
| M factor (Chronic): | 1 | | | | |
| Classification: | Flam. Liq. 3 - H226 | | | | |
| | Skin Irrit. 2 - H315 | | | | |
| | Skin Sens. 1B - H317 | | | | |
| | Asp. Tox. 1 - H304 | | | | |
| | Aquatic Acute 1 - H400 | | | | |
| | Aquatic Chronic 1 - H410 | | | | |
| 10-30% TERPINEOL | | | | | |
| CAS number: 8000-41-7 | EC number: 232-268-1 | | | | |
| Classification: | Skin Irrit. 2 - H315 | | | | |
| | Eye Irrit. 2 - H319 | | | | |
| 10-30% EUGENOL | | | | | |
| CAS number: 97-53-0 | EC number: 202-589-1 | | | | |
| Classification | Eye Irrit. 2 - H319 | | | | |
| | Skin Sens. 1B - H317 | | | | |
| 5-10% EUCALYPTOL | | | | | |
| CAS number: 470-82-6 | EC number: 207-431-5 | | | | |
| Classification; | Flam. Liq. 3 - H226 | | | | |
| | Skin Sens. 1B - H317 | | | | |
| 1-5% LINALOOL | | | | | |
| CAS number: 78-70-6 | EC number: 201-134-4 | | | | |
| Classification: | Skin Irrit. 2 - H315 | | | | |
| | Eye Irrit. 2 - H319 | | | | |
| 1-5% PIN-2(3)-ENE (ALPHA-PINENES) | | | | | |
| CAS number: 80-56-8 | EC number: 201-291-9 | | | | |
| Classification: | Skin Irrit. 2 - H315 | | | | |
| | Skin Sens. 1B - H317 | | | | |
| | Asp. Tox. 1 - H304 | | | | |



| 1-5% | CED | ANIVI | ΛCEI | |
|------|-----|-------|---------------|--|
| | | | | |

CAS number: 105-87-3 EC number: 203-341-5 Classification: Skin Irrit. 2 - H315 Skin Sens. 1 - H317

Aquatic Chronic 2 - H411

1-5% LINALYL ACETATE

CAS number: 115-95-7 EC number: 204-116-4 Classification: Skin Irrit. 2 - H315

Eye Irrit. 2 - H319

1-5% BETA-CARYOPHYLLENE

CAS number: 87-44-5 EC number: 201-746-1 Classification: Asp. Tox. 1 - H304

1-5% p-MENTHA-1,4(8)-DIENE (TERPINOLENE)

CAS number: 586-62-9 EC number: 209-578-0

M factor (Chronic): 1

Classification: Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Aquatic Chronic 1 - H410

1-5% GERANIOL

CAS number: 106-24-1 EC number: 203-377-1
Classification: Skin Irrit. 2 - H315
Eye Dam. 1 - H318
Skin Sens. 1 - H317

<1% 1,2-DIMETHOXY-4-(2-PROPENYL)-BENZENE (METHYLEUGENOL)

CAS number: 93-15-2 EC number: 202-223-0 Classification: Acute Tox. 4 - H302 Muta 2 - H341

Muta. 2 - H341 Carc. 2 - H351

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least $\ensuremath{\mathbf{15}}$

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.



5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: Water.

Specific Hazards: Toxic gases or vapours.

ADVICE FOR FIREFIGHTERS:

PROTECTIVE ACTIONS DURING

FIREFIGHTING:

Containers close to fire should be removed or cooled with water.

SPECIAL PROTECTIVE EQUIPMENT

FOR FIREFIGHTERS:

Wear positive-pressure self-contained breathing apparatus (SCBA)

and appropriate protective clothing.

6: ACCIDENTAL RELEASE MEASURES

CLEANING UP METHODS FOR SPILLAGES:

ENVIRONMENT PRECAUTIONS:

Personal precautions: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.



8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

HAND PROTECTION:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

EYE/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid.

COLOUR: Yellow/green to Orange/brown

ODOUR: Characteristic.

FLASH POINT °C: 45°C

 SPECIFIC GRAVITY @ 20°C:
 ~ 0.884 @ 20°C

 REFRACTIVE INDEX @ 20°C:
 ~ 1.478 @ 20°C

10: STABILITY AND REACTIVITY

Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Causes serious eye irritation.

SKIN CONTACT: Causes skin irritation. May cause an allergic skin reaction.

INGESTION: May be fatal if swallowed and enters airways.

SDS: 104 Bog Myrtle Essential Oil



12: ECOLOGICAL INFORMATION

ECOTOXICITY: Very toxic to aquatic life with long lasting effects.

Persistence and degradability: The product is expected to be biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

νΡνΒ.

ECOLOGICAL INFORMATION ON INGREDIENTS:

LIMONENE

ACUTE AQUATIC TOXICITY

 $LE(C)_{50}$ 0.1 < $L(E)C50 \le 1$

M factor (Acute)

CHRONIC AQUATIC TOXICITY

M factor (Chronic) 1

PIN-2(10)-ENE (BETA-PINENES)

ACUTE AQUATIC TOXICITY

 $LE(C)_{50}$ 0.1 < $L(E)C50 \le 1$

M factor (Acute) 1

CHRONIC AQUATIC TOXICITY

M factor (Chronic) 1

P-MENTHA-1,4(8)-DIENE (TERPINOLENE)

CHRONIC AQUATIC TOXICITY

M factor (Chronic) 1

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations.



14: TRANSPORT INFORMATION

UN NUMBER:

- UN No. (ADR/RID): 1169 - UN No. (IMDG): 1169 - UN No. (ICAO): 1169 - UN NO. (ADN): 1169

PROPER SHIPPING NAME:

- PROPER SHIPPING NAME EXTRACTS, AROMATIC, LIQUID

(ADR/RID):

PROPER SHIPPING NAME (IMDG): EXTRACTS, AROMATIC, LIQUID
PROPER SHIPPING NAME (ICAO): EXTRACTS, AROMATIC, LIQUID
PROPER SHIPPING NAME (ADN): EXTRACTS, AROMATIC, LIQUID

3

3

TRANSPORT HAZARD CLASS(ES):

ADN CLASS:

ADR/RID/ADN CLASS:

- ADR/RID/ADN CLASSIFICATION F1
CODE:
- ADR/RID LABEL: 3
- IMDG CLASS: 3
- ICAO CLASS/DIVISION: 3

PACKING GROUP:

- ADR/RID/ADN PACKING GROUP: III
- IMDG PACKING GROUP: III
- ADN PACKING GROUP: III
- ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous substance/marine pollutant

TRANSPORT IN BULK ACCORDING TO ANNEX II Not applicable.

OF MARPOL73/78 AND THE IBC CODE:

SPECIAL PRECAUTIONS FOR USER

EMS:F-E, S-DADR TRANSPORT CATEGORY:3EMERGENCY ACTION CODE:3YHAZARD TRANSPORT CATEGORY:30

(ADR/RID):

TUNNEL RESTRICTION CODE: (D/E)





15: REGULATORY INFORMATION

STATUTORY INSTRUMENTS: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.

16: OTHER INFORMATION

KEY LITERATURE REFERENCES AND SOURCES FOR DATA

European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.