

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **Cumin Essential Oil** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **112** CAS NUMBER: 84775-51-9 EC NUMBER: 283-881-6 IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Flam. Liq. 3 - H226
-	HEALTH HAZARDS:	Acute Tox. 4 - H302
		Skin Irrit. 2 - H315
		Eye Irrit. 2 - H319
		Skin Sens. 1 - H317
		Asp. Tox. 1 -H304
-	ENVIRONMENTAL HAZARDS:	Aquatic Chronic 2 - H411

LABEL ELEMENTS



SIGNAL WORD: HAZARD STATEMENTS:

DANGER

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long locting offects.

H411 Toxic to aquatic life with long lasting effects.



-	ono, on men e e un on un or up (pro un ele
PRECAUTIONARY STATEMENTS:	P273 Avoid release to the environment.
	P280 Wear protective gloves/protective clothing/eye protection/face
	protection.
	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing.
SUPPLEMENTARY PRECAUTIONARY	P210 Keep away from heat, hot surfaces, sparks, open flames and other
STATEMENTS:	ignition sources. No smoking.
	P233 Keep container tightly closed.
	P240 Ground/bond container and receiving equipment.
	P241 Use explosion-proof electrical equipment.
	P242 Use only non-sparking tools.
	P242 Ose only hon-sparking tools. P243 Take precautionary measures against static discharge.
	P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour/spray.
	P264 Wash contaminated skin thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P272 Contaminated work clothing should not be allowed out of the
	workplace.
	P321 Specific treatment (see medical advice on this label).
	P330 Rinse mouth.
	P331 Do NOT induce vomiting.
	P332+P313 If skin irritation occurs: Get medical advice/attention.
	P333+P313 If skin irritation or rash occurs: Get medical
	advice/attention.
	P337+P313 If eye irritation persists: Get medical advice/attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or
	water fog to extinguish.
	P391 Collect spillage.
	P403+P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up.
	P501 Dispose of contents/container in accordance with national
	regulations.
Contains:	Cuminaldehyde, Pin-2(10)-Ene (Beta-Pinenes), P-Mentha-1,4-Diene
CONTAINS.	(Gammaterpinene), P-Cymene, Alpha-Phellandrene, Pin-2(3)-Ene
	(Alpha-Pinenes), Myrcene, Limonene, P-Mentha-1,4(8)-Diene
	(Terpinolene)

<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>

30-60% CUMINALDEHYDE		
CAS number: 122-03-2	EC number: 204-516-9	
Classification	Acute Tox. 4 - H302	
	Skin Sens. 1 - H317	

SDS: 112 Cumin Essential Oil

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 30/07/2019 Version: 3



10-30% PIN-2(10)-ENE (BETA-PINENES)	
CAS number: 127-91-3	EC number: 204-872-5
M factor (Acute)	1
M factor (Chronic)	1
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
10-30% P-MENTHA-1,4-DIENE (GAMMA-TERPI	NENE)
CAS number: 99-85-4	EC number: 202-794-6
Classification	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
5-10% P-CYMENE	
CAS number: 99-87-6	EC number: 202-796-7
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
	Aquatic Chronic 2 - H411
1-5% ALPHA-PHELLANDRENE	
CAS number: 99-83-2	EC number: 202-792-5
Classification	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
1-5% Myrcene	
CAS number: 123-35-3	EC number: 204-622-5
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
1-5% PIN-2(3)-ENE (ALPHA-PINENES)	
CAS number: 80-56-8	EC number: 201-291-9
Classification	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Asp. Tox. 1 - H304



<1% LIMONENE	
CAS number: 138-86-3	EC number: 205-341-0
M factor (Acute)	1
M factor (Chronic)	1
Classification	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
<1% P-MENTHA-1,4(8)-DIENE (TERPINOLENE	=)
CAS number: 586-62-9	EC number: 209-578-0
M factor (Chronic)	1
Classification	Skin Sens. 1 - H317
	Asp. Tox. 1 - H304
	Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION:	Move affected person to fresh air at once. Get medical attention if
	any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink.
	Get medical attention immediately.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap
	and water. Get medical attention if symptoms are severe or persist
	after washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse
	immediately with plenty of water. Continue to rinse for at least 15
	minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid
	contact, including dermal contact, with this product. See Section 11
	for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.

5: FIREFIGHTING MEASURES

Foam, carbon dioxide or dry powder.
Water.
Toxic gases or vapours.
Containers close to fire should be removed or cooled with water.
Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.



6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
ENVIRONMENT PRECAUTIONS:	Do not discharge into drains or watercourses or onto the ground.
CLEANING UP METHODS FOR SPILLAGES:	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.
7: HANDLING AND STORAGE	
USAGE PRECAUTIONS:	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.
OCCUPATIONAL HYGIENE:	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.
STORAGE PRECAUTIONS:	Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION



APPROPRIATE ENGINEERING CONTROLS:

OTHER SKIN AND BODY PROTECTION:

ENVIRONMENTAL EXPOSURE CONTROLS:

EYE/FACE PROTECTION:

HAND PROTECTION:

HYGIENE MEASURES:

Provide adequate ventilation.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SDS: 112 Cumin Essential Oil

RESPIRATORY PROTECTION:

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 30/07/2019 Version: 3



9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colour: Odour: Flash Point °C: Specific gravity @ 20°C:	Liquid. Colourless to pale yellow. Characteristic. 48°C ~ 0.925 @ 20°C
Refractive index @ 20°C:	~ 1.494 @ 20°C
10: STABILITY AND REACTIVITY	
STABILITY:	Stable at normal ambient temperatures.
Possibility of hazardous reactions:	Will not polymerise.
CONDITIONS TO AVOID:	Avoid heat, flames and other sources of ignition.
MATERIALS TO AVOID:	Strong oxidising agents. Strong acids. Strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
11: TOXICOLOGICAL INFORMATION	
Eye Contact:	Causes serious eye irritation.
SKIN CONTACT:	Causes skin irritation. May cause sensitisation by skin contact.
INGESTION:	Harmful if swallowed. May be fatal if swallowed and enters
	airways.
ACUTE TOXICITY - ORAL	
- ATE ORAL (MG/KG)	1,250.0
TOXICOLOGICAL INFORMATION ON INGREDIENTS:	
CUMINALDEHYDE	
Acute toxicity - Oral	
Acute toxicity oral (LD₅omg/kg):	1,390.0
Species:	Rat
ACUTE TOXICITY - DERMAL	
Acute toxicity dermal (LD₅₀mg/kg):	2,800.0
Species:	Rabbit
ATE dermal (mg/kg):	2,800.0
12: ECOLOGICAL INFORMATION	
Есотохісіту:	Toxic to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	The product is expected to be biodegradable.
BIOACCUMULATIVE POTENTIAL:	The product does not contain any substances expected to be
	bioaccumulating.
	Dioaccumulating.
MOBILITY IN SOIL:	The product is insoluble in water.

This product does not contain any substances classified as PBT or vPvB.



ECOLOGICAL INFORMATION ON INGREDIENTS.	A & A A
PIN-2(10)-ENE (BETA-PINENES)	
ACUTE AQUATIC TOXICITY	
LE(C)₅o	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
CHRONIC AQUATIC TOXICITY	
M factor (Chronic)	1
13: DISPOSAL CONSIDERATIONS	
DISPOSAL METHODS:	Dispose of waste product or used containers in accordance with
	local regulations
14: TRANSPORT INFORMATION	
UN No. (ADR/RID/ADN/ICAO/IMDG):	1169
PROPER SHIPPING NAME:	
- PROPER SHIPPING NAME	EXTRACTS, AROMATIC, LIQUID
(ADR/RID):	
- PROPER SHIPPING NAME (IMDG):	EXTRACTS, AROMATIC, LIQUID
- PROPER SHIPPING NAME (ICAO):	EXTRACTS, AROMATIC, LIQUID
- PROPER SHIPPING NAME (ADN):	EXTRACTS, AROMATIC, LIQUID
TRANSPORT HAZARD CLASS(ES):	
- ADR/RID/ADN CLASS:	3
- ADR/RID/ADN CLASSIFICATION	F1
CODE:	
- ADR/RID LABEL:	3
- IMDG CLASS:	3
- ICAO CLASS/DIVISION:	3
- ADN CLASS:	3
PACKING GROUP:	
- ADR/RID/ADN PACKING GROUP:	III
- IMDG PACKING GROUP:	III
- ADN PACKING GROUP:	III
- ICAO PACKING GROUP:	III
Environmental Hazards:	Environmentally hazardous substance/marine pollutant
TRANSPORT IN BULK ACCORDING TO ANNEX II	Not applicable.

I RANSPORT IN BULK ACCORDING TO ANNEX II	мот арри
OF MARPOL73/78 AND THE IBC CODE:	
SPECIAL PRECAUTIONS FOR USER	
EMS:	F-E, S-D
ADR TRANSPORT CATEGORY:	3
EMERGENCY ACTION CODE:	3Y
HAZARD IDENTIFICATION NUMBER	30
(ADR/RID):	
TUNNEL RESTRICTION CODE:	(D/E)

SDS: 112 Cumin Essential Oil

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 30/07/2019 Version: 3



15: REGULATORY INFORMATION

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Workplace Exposure Limits EH40.

GUIDANCE:

EU LEGISLATION:

16: OTHER INFORMATION

KEY LITERATURE REFERENCES AND SOURCES FOR DATA European Chemicals Agency, <u>HTTP://ECHA.EUROPA.EU/</u>

HAZARD STATEMENTS IN FULL H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.