

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Hop Essential Oil

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 OAF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: **120**CAS NUMBER: 8007-04-3
EC NUMBER: 232-504-3

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

PHYSICAL HAZARDS: Not Classified
 HEALTH HAZARDS: Asp. Tox. 1 - H304
 ENVIRONMENTAL HAZARDS: Aquatic Chronic 3 - H412

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/ container to \dots

CONTAINS: Beta-Caryophyllene, Myrcene

3: COMPOSITION/INFORMATION ON INGREDIENTS

30-60% BETA-CARYOPHYLLENE

CAS number: 87-44-5 EC number: 201-746-1 Classification: Asp. Tox. 1 - H304



10-30% MYRCENE

CAS number: 123-35-3 EC number: 204-622-5 Classification: Flam. Liq. 3 - H226 Skin Irrit. 2 - H315

Eye Irrit. 2 - H319 Asp. Tox. 1 - H304

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

Persons suffering from asthma, eczema or skin problems should avoid **GENERAL INFORMATION:**

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Foam, carbon dioxide or dry powder.

UNSUITABLE EXTINGUISHING MEDIA: Water.

SPECIFIC HAZARDS: Toxic gases or vapours.

ADVICE FOR FIREFIGHTERS

PROTECTIVE ACTIONS DURING

SPECIAL PROTECTIVE EQUIPMENT

FIREFIGHTING:

FOR FIREFIGHTERS:

Containers close to fire should be removed or cooled with water.

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6: ACCIDENTAL RELEASE MEASURES

ENVIRONMENT PRECAUTIONS:

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

> shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground. Keep combustible materials away from spillage. Eliminate all sources

CLEANING UP METHODS FOR SPILLAGES: of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as

possible. Wash thoroughly after dealing with a spillage.

SDS: 120 Hop Essential Oil

Compiled by: Geofrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs - Date: 30/07/2019 Version: 3



7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid.

COLOUR: Light (or pale) Yellow to Brownish.

ODOUR: Characteristic.

FLASH POINT °C: >70°C

 SPECIFIC GRAVITY @ 20°C:
 ~ 0.889 @ 20°C

 REFRACTIVE INDEX @ 20°C:
 ~ 1.484 @ 20°C



10: STABILITY AND REACTIVITY

STABILITY: Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

INGESTION: May be fatal if swallowed and enters airways.

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Harmful to aquatic life with long lasting effects.

Persistence and degradability: The product is expected to be biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations.

14: TRANSPORT INFORMATION

GENERAL: The product is not covered by international regulations on the

transport of dangerous goods (IMDG, IATA, ADR/RID).

UN NUMBER: Not applicable. PROPER SHIPPING NAME: Not applicable.

TRANSPORT HAZARD CLASS(ES): No transport warning sign required.

PACKING GROUP:

ENVIRONMENTAL HAZARDS:

SPECIAL PRECAUTIONS FOR USER:

TRANSPORT IN BULK ACCORDING TO ANNEX II

Not applicable.

Not applicable.

Not applicable.

OF MARPOL73/78 AND THE IBC CODE:

15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.

SDS: 120 Hop Essential Oil



16: OTHER INFORMATION

KEY LITERATURE REFERENCES AND SOURCES FOR DATA

European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.