

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Lemon Eucalyptus Essential Oil

SUPPLIER: Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA

Telephone +44 (0)117-9087770.

PRODUCT NUMBER: 126

CAS NUMBER: 8000-48-4 / 85203-56-1

EC NUMBER: 286-249-8

INCI: Eucalyptus Citriodora Oil

IDENTIFIED USES: Suitable for use in cosmetics, fragrances, flavourings and professional applications only.

BIOLOGICAL DEFINITION: Eucalyptus Citriodora Oil is the volatile oil obtained from Eucalyptus citriodora, Myrtaceae.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC No 1272/2008):

PHYSICAL HAZARDS: Not classified.

HEALTH HAZARDS: Skin Irrit. 2 - H315;
Skin Sens. 1 - H317;

Eye Irrit. 2 - H319

ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM:





SIGNAL WORD: WARNING

HAZARD STATEMENTS: H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: P261 Avoid breathing mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

SDS: 126 Lemon Eucalyptus Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 17/04/2019 - Version: 2



P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents in accordance with local, state or national

legislation.

PRECAUTIONARY STATEMENTS P264 Wash hands and exposed skin thoroughly after handling.

P362+P364 Take off contaminated clothing. And wash it before reuse.

CONTAINS: Citronellal.

3: COMPOSITION/INFORMATION ON INGREDIENTS

3: COMPOSITION/INFORMATION ON INGRE	<u>:DIEN13</u>
70.0 – 85.0% Citronellal	
CAS NUMBER: 106-23-0	EC NUMBER: 203-376-6
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Eye Irrit. 2 H319,
	Aquatic Chronic 2 - H411
<10.0% Citronellol	
CAS NUMBER: 106-22-9	EC NUMBER: 203-375-0
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Eye Irrit. 2 - H319
3.0 – 10.0% Iso Pulegol	
CAS NUMBER: 89-79-2	EC NUMBER: 203-375-0
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
	Skin Irrit. 2 H315
	Eye Irrit. 2 H319
0.01- 5.0% Neo Iso Pulegol	
CAS NUMBER: 96612-21-4	EC NUMBER: -
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
0.01- 4.0% 6-Methylhept-5-en-2-one	
CAS NUMBER: 110-93-0	EC NUMBER: 203-816-7
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
0.01 – 3.0% Citronellyl Acetate	
CAS NUMBER: 150-84-5	EC NUMBER: 205-775-0
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Aquatic Chronic 2- H411
0.01- 2.0% beta-Caryophyllene	
CAS NUMBER: 87-44-5	EC NUMBER: 201-746-1
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1-H304
	Skin Sens. 1B- H317



0.01 -2.0% alpha-Pinene	
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Acute Tox. 4 H302
	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Aquatic Acute 1- H400
	Aquatic Chronic 1 H410
0.01 – 1.0% cis-beta-Ocimene	
CAS NUMBER: 3338-55-4	EC NUMBER: 222-081-3
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1- H304
0.01 – 1.0% alpha-Terpinolene	
CAS NUMBER: 586-62-9	EC NUMBER: 209-578-0
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1- H304
	Skin Sens. 1B - H317
	Aquatic Acute 1- H400,
	Aquatic Chronic 1- H410
0.01 – 1.0% Myrcene	
CAS NUMBER: 123-35-3	EC NUMBER: 204-622-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1- H304
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319,
	Aquatic Acute 1- H400
0.01- 1.0% Linalool	Aquatic Chronic 1- H410
CAS NUMBER: 126-91-0	EC NUMBER: 204-811-2
	Skin Sens. 1B - H317
CLASSIFICATION (EC 1272/2008): 0.01 -1.0% d-Limonene	3KIII 3EIIS. 1D - N317
CAS NUMBER: 5989-27-5	EC NUMBER: 227-813-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Aquatic Acute 1 - H400
	Aquatic Acute 1 - 11400 Aquatic Chronic 1 - H410
≤ 0.05 Methyl Eugenol	Aquatic Ciriotic 1 11710
CAS NUMBER: 93-15-2	EC NUMBER: 202-223-0
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4- H302
	Muta. 2 - H341
	Carc. 2 - H351

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.



4: FIRST AID MEASURES

EYE CONTACT:

PRODUCT:

Move the exposed person to fresh air at once. Rinse nose and mouth INHALATION:

with water. Get medical advice/attention if any discomfort continues.

INGESTION: Ingestion may cause nausea and vomiting. Get medical

advice/attention if irritation or symptoms persist. Do not induce

vomiting.

Remove affected person from source of contamination. Remove SKIN CONTACT:

> contaminated clothing. Wash the skin immediately with soap and water. Get medical advice/attention if any discomfort continues. Remove victim immediately from source of exposure. Make sure to

remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to

rinse for at least 15 minutes and get medical advice/attention.

5: FIREFIGHTING MEASURES

Carbon dioxide (CO2), dry chemical or foam. EXTINGUISHING MEDIA RECOMMENDED:

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this may scatter and

spread fire.

SPECIAL HAZARDS ARISING FROM THE

When heated and in case of fire, irritating vapours/gases may be

formed.

ADVICE FOR FIREFIGHTERS: **Special Fire Fighting Procedures**

Water spray should be used to cool containers.

Protective equipment for fire-fighters

Wear full protective clothing. Wear suitable respiratory equipment

when necessary.

6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Ensure adequate ventilation of the working area. Wear suitable

protective equipment.

ENVIRONMENT PRECAUTIONS: Do not discharge into drains, water courses or onto the ground.

CLEANING UP METHODS FOR SPILLAGES: Absorb with liquid binding material e.g. sand, diatomaceous earth.

> Collect in closed and suitable containers for disposal. Prevent any material from entering drains or waterways. Wash spill site after

removal with a detergent.

7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Avoid spilling, skin and eye contact.

Store in tightly closed original container in a dry, cool and well-**STORAGE PRECAUTIONS:**

> ventilated place. Keep in original container. Protect from light, including direct sunrays. Keep away from heat, sparks and open

flame.



8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PARAMETERS

Alpha Pinene (CAS: 80-56-8)	
DNEL	 Workers - Inhalation; Long term systemic effects: 3.8 mg/m³
	-Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day
	-General population - Inhalation; Long term systemic effects: 0.67 mg/m³
	-General population - Dermal; Long term systemic effects: 0.19 mg/kg,
	bw/day
	-General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day
PNEC	- Fresh water; Short term 0.606 mg/l
	- Fresh water, Intermittent release; 3.03 mg/l
	- Marine water; Short term 0.061 mg/l
	- Intermittent release, Marine water; 0.303 mg/l
	- STP; Short term 0.2 mg/l
	- Sediment (Fresh water); Short term 157 mg/kg
	- Sediment (Marine water); Short term 15.7 mg/kg
	- Soil; Short term 31.7 mg/kg
Citronellyl Acetate (CAS: 150-84-	5)
DNEL	- Workers - Inhalation; Long term systemic effects: 17 mg/m ³
	-Workers - Dermal; Long term systemic effects: 4.8 mg/kg, bw/day
	-General population - Inhalation; Long term systemic effects: 4.2 mg/m³
	-General population - Dermal; Long term systemic effects: 2.4 bw/day, mg/kg
	-General population - Oral; Long term systemic effects: 2.4 bw/day, mg/kg
PNEC	- Fresh water; Short term 0.003 mg/l
	- Fresh water, Intermittent release; 0.035 mg/l
	- Marine water; Short term 0 mg/l
	- STP; Short term 10 mg/l
	- Sediment (Fresh water); Short term 0.851 mg/kg
	- Sediment (Marine water); Short term 0.085 mg/kg
	- Soil; Short term 0.168 mg/kg



alpha -Terpinolene (CAS: 586-62-9)

DNEL -Workers - Inhalation; Long term systemic effects: 3.6 mg/m³

-Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg -General population - Inhalation; Long term systemic effects: 0.9

mg/m³

-General population - Dermal; Long term systemic effects: 0.26

bw/day, mg/kg

-General population - Oral; Long term systemic effects: 0.26 bw/day,

mg/kg

PNEC - Fresh water; Short term 0.634 mg/l

- Intermittent release, Fresh water; Short term 0.634 mg/l

- Marine water; Short term 0.063 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 14.7 mg/kg
 Sediment (Marine water); Short term 14.7 mg/kg

- Soil; Short term 29.1 mg/kg

Myrcene (CAS: 123-35-3)

DNEL -Workers - Dermal; Long term systemic effects: 0.83 mg/kg

-Workers - Inhalation; Long term systemic effects: 5.83 mg/m³

-General population - Dermal; Long term systemic effects: 0.42 mg/kg -General population - Inhalation; Long term systemic effects: 1.25

mg/m³

PNEC - STP; 0.2 mg/l

- Soil; 1.015 mg/kg

- Fresh water; 0.00028 mg/l - Marine water; 0.0008 mg/l

- Sediment (Freshwater); 5.022 mg/kg- Sediment (Marine water); 0.502 mg/kg

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide

Provide eyewash station.

Provide adequate ventilation to minimise the risk of inhalation of

vapours.

EYE/FACE PROTECTION: If risk of splashing, wear safety goggles in accordance with

standard EN166.

HAND PROTECTION: Wear suitable protective gloves that are resistant to chemical

agents in accordance with standard EN374.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact.

Wear apron or protective clothing in case of splashes. Use personal protection according to Directive 89/686/EEC.



HYGIENE MEASURES: Wash hands at the end of each work shift and before eating,

smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

RESPIRATORY PROTECTION: No specific recommendation made, but respiratory protection may

still be required under exceptional circumstances when excessive

air contamination exists.

ENVIRONMENTAL EXPOSURE CONTROLS: Avoid discharging into drainage water. Only eliminate by

authorised companies.

9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear liquid pale yellow to greenish yellow.

COLOUR: Pale yellow to greenish yellow.

Odour: Characteristic.

FLASH POINT °C: 73 - 74 CC (Closed cup)

SPECIFIC GRAVITY @ 20°C: 0.868
REFRACTIVE INDEX @ 20°C: 1.458

MELTING POINT °C:

BOILING POINT °C:

No additional data available.

VAPOUR PRESSURE

No additional data available.

SOLUBILITY IN WATER @ 20°C: Insoluble in water.

AUTO-IGNITION TEMPERATURE: No additional data available.

10: STABILITY AND REACTIVITY

REACTIVITY: Presents no significant reactivity hazards. Stable under normal

temperature conditions and recommended use.

CHEMICAL STABILITY Stable under the recommended handling and storage conditions.

POSSIBLE HAZARDOUS REACTIONS

Not expected under normal conditions of use.

CONDITIONS TO AVOID

Avoid extreme heat and direct sunlight

INCOMPATIBLE MATERIALS Avoid contact with strong acids, alkalis or oxidising agents
HAZARDOUS DECOMPOSITION PRODUCTS Not expected under normal temperature conditions and

recommended use.

Thermal decomposition may release/form oxides of carbon (carbon monoxide, carbon dioxide) and other toxic gases

11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not classified.

SKIN CORROSION / IRRITATION: Causes skin irritation.

SERIOUS EYE DAMAGE / IRRITATION: Causes serious eye irritation.

RESPIRATORY OR SKIN SENSITISATION: Skin - May cause an allergic skin reaction.

GERM CELL MUTAGENICITY: Not classified. However, product contains a substance suspected

of causing genetic defects

CARCINOGENICITY: Not classified. However, product contains a substance suspected

of causing cancer.

REPRODUCTIVE TOXICITY: Not classified

SDS: 126 Lemon Eucalyptus Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 17/04/2019 - Version: 2



STOT-SINGLE EXPOSURE: Not classified STOT-REPEATED EXPOSURE: Not classified ASPIRATION HAZARD: Not classified

PHOTO-TOXICITY: No additional data available.

OTHER INFORMATION: No additional data available.

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY:

BIOACCUMULATIVE POTENTIAL:

MOBILITY IN SOIL:

RESULTS OF PBT AND VPVB ASSESSMENT:

No additional data available.

No additional data available.

No additional data available.

PRECAUTIONS: Do not allow product to enter streams, sewers or other

waterways.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in compliance with all local and national regulations.

14: TRANSPORT INFORMATION

 UN No. ROAD:
 3082

 UN No. SEA:
 3082

 UN No. AIR:
 3082

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.

TRANSPORT HAZARD CLASS(ES):

ADR/RID/ADN CLASS: 9 Miscellaneous dangerous

substances and articles.

IMDG CLASS: 9
ICAO CLASS/DIVISION: 9

PACKING GROUP:

ADR/RID/ADN PACKING GROUP: III
IMDG PACKING GROUP: III
ICAO PACKING GROUP: III

Environmentally Hazardous Environmentally Hazardous SUBSTANCE/MARINE POLLUTANT: Substance/Marine Pollutant.



TRANSPORT IN BULK ACCORDING TO ANNEX II

OF MARPOL73/78 AND THE IBC CODE:

No additional data available.



15: REGULATORY INFORMATION

STATUTORY INSTRUMENTS: The Chemicals (Hazard Information and Packaging for Supply)

Regulations 2009 (S.I 2009 No. 716)

EU LEGISLATION: Regulation (EC) No 1907/2006 of the European Parliament and of

the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and

Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

GUIDANCE: Workplace Exposure Limits EH40. CHIP for everyone HSG (108)

16: OTHER INFORMATION

HAZARD AND/OR PRECAUTIONARY H226 Flammable liquid and vapour.

STATEMENTS IN FULL H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.