

### **SAFETY DATA SHEET**

#### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Eucalyptus Essential Oil SUPPLIER: Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA Telephone +44 (0)117-9087770. PRODUCT NUMBER: 16 CAS NUMBER: 8000-48-4/ 84625-32-1 EC NUMBER: 283-406-2 EINECS NUMBER:: 283-406-2 INCI: Eucalyptus Globulus Leaf Oil. IDENTIFIED USES: Suitable for cosmetic and food flavouring purposes. BIOLOGICAL DEFINITION: Eucalyptus Globulus Leaf Oil is the volatile oil obtained from the fresh leaves of the Eucalyptus, Eucalyptus globulus.

#### **2: HAZARDS IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 8000-48-4/ 84625-32-1	EC: 283-406-2
CLASSIFICATION (EC NO 1272/2008):	
PHYSICAL HAZARDS:	Flam. Liq. 3 - H226
HEALTH HAZARDS:	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
ENVIRONMENTAL HAZARDS:	Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: HAZARD STATEMENTS: DANGER H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.



PRECAUTIONARY STATEMENTS:	P273 Avoid release to the environment.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/
	doctor.
	P331 Do NOT induce vomiting.
	P391 Collect spillage.
	P262 Do not get in eyes, on skin, or on clothing.
SUPPLEMENTARY PRECAUTIONARY	P210 Keep away from heat, hot surfaces, sparks, open flames and other
STATEMENTS:	ignition sources. No smoking.
	P233 Keep container tightly closed.
	P240 Ground/ bond container and receiving equipment.
	P241 Use explosion-proof electrical equipment.
	P242 Use only non-sparking tools.
	P243 Take precautionary measures against static discharge.
	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P272 Contaminated work clothing should not be allowed out of the
	workplace.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water/ shower.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/
	attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or
	water fog to extinguish.
	P403+P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national
	regulations.
PBT OR VPVB ACCORDING TO ANNEX	This product does not contain any substances classified as PBT or vPvB.
XIII	· · · · · · · · · · · · · · · · · · ·
Adverse effects on human health	The liquid may be irritating to skin.
	Fatal if swallowed.
	May cause skin sensitisation or allergic reactions in sensitive individuals.
Adverse Physio-Chemical properties	Flammable liquid and vapour.
Contains:	1,8 cineole, d-Limonene, Alpha Pinene, Beta Pinene.
-	, , , , ,



>80% 1,8 Cineol		
CAS NUMBER: 470-82-6	EC NUMBER: 207-431-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Skin Sens. 1B - H317	
≤10% d-Limonene		
CAS NUMBER: 5989-27-5	EC NUMBER: 227-813-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Asp. Tox. 1 H304,	
	Skin Irrit. 2 - H315,	
	Skin Sens. 1 - H317,	
	Aquatic Acute 1 - H400,	
	Aquatic Chronic 1 - H410	
≤ 6% para-Cymene		
CAS NUMBER: 99-87-6	EC NUMBER: 202-796-7	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 – H226,	
	Asp. Tox. 1 – H304,	
	Eye Irrit. 2 H319	
≤ 9% alpha-Pinene		
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Skin Irrit. 2 - H315,	
	Skin Sens. 1 - H317,	
	Asp. Tox. 1 - H304,	
	Aquatic Acute 1 - H400,	
	Aquatic Chronic 1 - H410	
≤ 3% alpha-Phellandrene		
CAS NUMBER: 99-83-2	EC NUMBER: 202-792-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Asp. Tox. 1 - H304	
≤ 6% p-mentha-1,4-diene		
CAS NUMBER: 99-85-4	EC NUMBER: 202-794-6	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Asp. Tox. 1 - H304	
≤ 2% 7-methyl-3-methyleneocta-1,6-die		
CAS NUMBER: 123-35-3	EC NUMBER: 204-622-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Skin Irrit. 2 - H315,	
	Eye Irrit. 2 - H319	
	Asp. Tox. 1 - H304,	
	Aquatic Acute 1 H400,	
	Aquatic Chronic 1 H410	

### 3: COMPOSITION/INFORMATION ON INGREDIENTS

SDS:16 Eucalyptus essential Oil Compiled by: Johndan Chilcott, Regulatory Affairs. - Approved by Woody Evans, Director-Date: 10/04/2019 - Version: 3



≤ 2% p-menth-1-en-8-ol		
CAS NUMBER: 99-55-5	EC NUMBER: 202-680-6	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315,	
	Eye Irrit. 2 - H319	
≤ 1.5% beta-Pinene		
CAS NUMBER: 127-91-3	EC NUMBER: 204-872-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Skin Irrit. 2 - H315,	
	Skin Sens. 1 - H317,	
	Asp. Tox. 1 - H304,	
	Aquatic Acute 1 H400,	
	Aquatic Chronic 1 H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

INHALATION:	Remove person to fresh air and keep comfortable for breathing. If
	breathing stops, provide artificial respiration. Get medical attention if
	any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Do not induce vomiting. Get
	medical attention.
SKIN CONTACT:	Wash skin thoroughly with soap and water. Continue to rinse for at
	least 15 minutes. Get medical attention if irritation persists after
	washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse with
	water. Continue to rinse for at least 15 minutes. Get medical
	attention if irritation persists after washing.
MOST IMPORTANT SYMPTOMS AND EFFECTS,	INHALATION: May be fatal if swallowed and enters airways.
BOTH ACUTE AND DELAYED	SKIN CONTACT: May cause an allergic skin reaction.
NOTES FOR THE DOCTOR:	Treat symptomatically.

### **5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA RECOMMENDED:	Carbon Dioxide (CO2), dry chemical, Foam, Water Spray.
UNSUITABLE EXTINGUISHING MEDIA:	Do not use water jet as an extinguisher, as this will spread the fire
SPECIAL MEASURES:	Burning can produce irritating, toxic and obnoxious fumes.
Advice for Firefighters:	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.



6: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS:	Provide adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear protective clothing and gloves.
FOR EMERGENCY RESPONDERS	Wear an appropriate NIOSH / MSHA approved respirator if mist or vapour is generated.
<b>ENVIRONMENT PRECAUTIONS:</b>	Do not discharge into drains or watercourses or onto the ground.
CLEANING UP METHODS FOR SPILLAGES:	Absorb with liquid binding material (e.g. sand, diatomaceous earth, acid or universal binding agents). Collect in closed and suitable containers for disposal.
REFERENCE TO OTHER SECTIONS	For personal protection, see Section 8. For waste disposal, see Section 13.
7: HANDLING AND STORAGE	
USAGE PRECAUTIONS:	Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Provide adequate ventilation. Keep away from heat, sparks and open flame.
OCCUPATIONAL HYGIENE:	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas.
STORAGE PRECAUTIONS:	Store in tightly closed original container in a dry, cool and well- ventilated place. Keep in original container.

### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **CONTROL PARAMETERS:**

1, 8 cineole (CAS: 470-82-6)	
DNEL	Workers - Dermal; Long term systemic effects: 2 mg/kg
	General population - Oral; Long term systemic effects: 600 mg/kg
	General population - Dermal; Long term systemic effects: 1 mg/kg
	General population - Inhalation; Long term systemic effects: 1.74
	mg/m³
PNEC	- STP; 10 mg/l
	- Soil; 0.2 mg/kg
	- Intermittent release; 0.57 mg/l
	- Fresh water; 0.057 mg/l
	- Marine water; 0.0057 mg/l
	- Sediment (Freshwater); 0.06732 mg/kg
	- Sediment (Marine water); 0.00673 mg/kg



Alpha Pinene (CAS: 80-	56-8)
DNEL	Workers - Inhalation; Long term systemic effects: 5.98 mg/m <sup>3</sup>
	General population - Oral; Long term systemic effects: 0.31 mg/kg
	General population - Inhalation; Long term systemic effects: 1.06
	mg/m <sup>3</sup>
PNEC	- STP; 3.26 mg/l
	- Soil; 0.539 mg/kg
	- Fresh water; 0.004 mg/l
	- Marine water; 0.0004 mg/l
	<ul> <li>Sediment (Freshwater); 1.033 mg/kg</li> </ul>
	<ul> <li>Sediment (Marine water); 0.103 mg/kg</li> </ul>
7-methyl-3-methylene	octa-1,6-diene (CAS: 123-35-3)
DNEL	Workers - Dermal; Long term systemic effects: 0.83 mg/kg
	Workers - Inhalation; Long term systemic effects: 5.83 mg/m <sup>3</sup>
	General population - Dermal; Long term systemic effects: 0.42 mg/kg
	General population - Inhalation; Long term systemic effects: 1.25
	mg/m
PNEC	- STP; 0.2 mg/l
	- Soil; 1.015 mg/kg
	- Fresh water; 0.00028 mg/l
	- Marine water; 0.0008 mg/l
	<ul> <li>Sediment (Freshwater); 5.022 mg/kg</li> </ul>
	<ul> <li>Sediment (Marine water); 0.502 mg/kg</li> </ul>

#### PROTECTIVE EQUIPMENT:



PROCESS CONDITIONS APPROPRIATE ENGINEERING CONTROLS:	No additional data available. Provide adequate ventilation. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Eye/face protection:	Wear approved face protection.
HAND PROTECTION:	Chemical resistant gloves required.
OTHER SKIN AND BODY PROTECTION:	Wear suitable protective clothing to prevent heat.
	Wear apron or protective clothing in case of contact. Avoid contact with skin and eyes.
Hygiene measures:	No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.
RESPIRATORY PROTECTION:	Generally unnecessary in a well-ventilated area. If ventilation is insufficient, respiratory protection must be worn.
ENVIRONMENTAL EXPOSURE CONTROLS:	Avoid discharging into drains.

SDS:16 Eucalyptus essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs. - Approved by Woody Evans, Director– Date: 10/04/2019 - Version: 3 Page 6 of 10



### essential oils, skincare & aromatherapy products <u>9: PHYSICAL AND CHEMICAL PROPERTIES</u>

Appearance: Colour: Odour: Flash Point °C: Specific gravity @ 20°C: Refractive index @ 20°C: Melting Point °C: Boiling Point °C) Vapour Pressure Solubility in Water @20°C Auto-ignition temperature (°C) Other Information:	Clear liquid Colourless to pale yellow. Fresh, aromatic, cineolic 45.5 - 46.5 ~0.915 1.452 -20 to +5 153 - 184 Ca 262 Pa @ 25°C No additional data available. 270 Partition coefficient Eucalyptus is a natural complex substance. It is a mixture of several components, but three of them represent 90% of that mixture. LogP of each of these three components were calculated with the In Silico Algorithm For Environmental Risk Assessment toolbox, multilinear V.1.1. The range of the LogP varies as below. log Pow: 2.84 to 4.42
10: STABILITY AND REACTIVITY	
REACTIVITY: CHEMICAL STABILITY POSSIBLE HAZARDOUS REACTIONS CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	The substance is stable under normal storage and handling conditions. Stable under normal temperature conditions. None known Avoid heat, sparks and other sources of ignition. Strong oxidising agents. Strong reducing agents. Combustion produces carbon dioxide, carbon monoxide and smoke.



### **11: TOXICOLOGICAL INFORMATION**

Acute Toxicity	Not classified.
	Acute toxicity - oral
	Notes (oral LD <sub>50</sub> )
	REACH dossier information. The oral LD50 for Eucalyptus oil is
	higher than 2000 mg.kg bw in mice therefore it is not classified
	according to the Annex VI to the Directive 67/548/EEC and the CLP
	Regulation (EC) No (1272-2008).
	Acute toxicity - dermal
	Notes (dermal LD <sub>50</sub> )
	REACH dossier information. The dermal LD50 for Eucalyptus oil is
	higher than 5000 mg/kg bw in rabbits therefore it is not classified
	according to the Annex VI to the Directive 67/548/EEC and the CLP
	Regulation (EC) No (1272-2008).
SKIN CORROSION / IRRITATION	Causes skin irritation.
SERIOUS EYE DAMAGE / IRRITATION	Not classified.
RESPIRATORY OR SKIN SENSITISATION	May cause an allergic skin reaction.
GERM CELL MUTAGENICITY	Not classified.
	Not classified.
REPRODUCTIVE TOXICITY	Not classified.
STOT-SINGLE EXPOSURE	Not classified.
STOT-REPEATED EXPOSURE	Not classified.
	May be fatal if swallowed and enters airways.
	No additional data available. No additional data available.
Other Information	
<b>12: ECOLOGICAL INFORMATION</b>	
ECOTOXICITY:	Toxic to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	The substance is readily biodegradable
<b>BIOACCUMULATIVE POTENTIAL:</b>	Eucalyptus is a natural complex substance. It is a mixture of several
	components, but three of them represent 90% of that mixture.
	LogP of each of these three components were calculated with the
	In Silico Algorithm For Environmental Risk Assessment toolbox,
	multilinear V.1.1. The range of the LogP varies as below. log Pow:
	2.84 to 4.42
MOBILITY IN SOIL:	No additional data available
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or vPvB.
RESULTS OF PBT AND VPVB ASSESSMENT: PRECAUTIONS:	
	vPvB.
PRECAUTIONS:	vPvB.
PRECAUTIONS: <u>13: DISPOSAL CONSIDERATIONS</u>	vPvB. No additional data available. Recycling is preferred to disposal or burning. Disposal must be
PRECAUTIONS: <u>13: DISPOSAL CONSIDERATIONS</u>	vPvB. No additional data available.

SDS:16 Eucalyptus essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs. - Approved by Woody Evans, Director– Date: 10/04/2019 - Version: 3 Page 8 of 10



#### **14: TRANSPORT INFORMATION**

UN NO. ROAD:	1169
UN NO. SEA:	1169
UN NO. AIR:	1169
PROPER SHIPPING NAME:	EXTRACTS, AROMATIC, LIQUID
TRANSPORT HAZARD CLASS(ES):	
ADR/RID/ADN CLASS:	3
ADR/RID CLASSIFICATION CODE:	F1

3

3

Ш Ш Ш

ADR/RID CLASSIFICATION CODE: IMDG CLASS ICAO CLASS/DIVISION

AMMABLE

#### **PACKING GROUP:**

ADR/RID/ADN PACKING GROUP	
IMDG PACKING GROUP	
ICAO PACKING GROUP	
ENVIRONMENTALLY HAZARDOUS	
SUBSTANCE/MARINE POLLUTANT:	

Environmentally Hazardous Substance/Marine Pollutant



F-E, S-D 3 3Y 30

SPECIAL PRECAUTIONS FOR USER	
EMS:	
ADR TRANSPORT CATEGORY:	
EMERGENCY ACTION CODE:	
HAZARD IDENTIFICATION NUMBER	
(ADR/RID):	
TUNNEL RESTRICTION CODE:	
TRANSPORT IN BULK ACCORDING TO ANNEX II	
OF MARPOL73/78 AND THE IBC CODE:	

(D/E) Packed and transferred according to transport regulations.

# **15: REGULATORY INFORMATION**

**STATUTORY INSTRUMENTS:** 

EU LEGISLATION:

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**GUIDANCE:** 

Workplace Exposure Limits EH40. CHIP for everyone HSG (108).

SDS:16 Eucalyptus essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs. - Approved by Woody Evans, Director-Date: 10/04/2019 - Version: 3 Page 9 of 10



#### **16: OTHER INFORMATION**

HAZARD AND/OR PRECAUTIONARY STATEMENTS IN FULL H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.