

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **COSMOS Organic Bergamot Essential Oil** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **260** CAS NUMBER: 89957-91-5 EC NUMBER: 289-612-9 INCI: Citrus aurantium bergamia fruit oil BIOLOGICAL DEFINITION: Citrus bergamia peel oil expressed is an essential oil expressed from the epicarps of the bergamot, citrus bergamia risso, rutaceae.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

- PHYSICAL HAZARDS: Flammable liquid, hazard category 3.	
- HEALTH HAZARDS: Skin corrosion / irritation category 2.	
Eye damage / irritation category 2.	
Sensitization - skin category 1.	
Aspiration hazard category 1.	
- ENVIRONMENTAL HAZARDS: Hazardous to the aquatic environment - acute hazard category	1.
Hazardous to the aquatic environment - long-term hazard categ	ory 1.

LABEL ELEMENTS

PICTOGRAM:



H317, may cause an allergic skin reaction.

H319, causes serious eye irritation.

PRECAUTIONARY STATEMENTS:

H410, very toxic to aquatic life with long lasting effects.

P210, keep away from heat, sparks, open flames and hot surfaces. - no smoking.

P233, keep container tightly closed.

- P240, ground/bond container and receiving equipment.
- P241, use explosion-proof electrical, ventilating and lighting equipment.
- P242, use only non-sparking tools.

SDS: 260 COSMOS Organic Bergamot Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 16/01/2020 - Version: 3



0000111111 01109 01	incure of an onnamerup? products
	take precautionary measures against static discharge. P261, avoid ning vapour or dust.
P264,	wash hands and other contacted skin thoroughly after handling.
	contaminated work clothing should not be allowed out of the
	avoid release to the environment.
	wear protective gloves/eye protection/face protection.
-	
	310, if swallowed: immediately call a poison centre or r/physician.
	361/353, if on skin (or hair): remove/take off immediately all ninated clothing. Rinse skin with water/shower.
	351/338, if in eyes: rinse cautiously with water for several
	es. Remove contact lenses, if present and easy to do. Continue
rinsing	
P331,	do not induce vomiting.
	313, if skin irritation or rash occurs: get medical advice/attention. 313, if eye irritation persists: get medical advice/attention.
	take off contaminated clothing and wash before reuse.
	378, in case of fire: use carbon dioxide, dry chemical, foam for
P391.	collect spillage.
	235, store in a well-ventilated place. Keep cool.
	store locked up.
	dispose of contents/container to approved disposal site, in
	lance with local regulations.
n/a	
II/ d	

CONTAINS:

<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>

38.39% Linalyl Acetate		
CAS NUMBER: 115-95-7	EC NUMBER: 204-116-4	
CLASSIFICATION (EC 1272/2008):	Skin irrit. 2 – H315	
	Eye Irrit. 2 – H319	
≤45.0% Limonene		
CAS NUMBER: 5989-27-5	EC NUMBER: 227-813-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	
	Asp. Tox. 1 - H304	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
≤15.0% Linalool		
CAS NUMBER: 78-70-6	EC NUMBER: 201-134-4	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 5 - H303	
	Skin Irrit. 2 - H315	
	Aquatic Acute 3 - H402	
7.58% β - Pinene		
CAS NUMBER: 127-91-3	EC NUMBER: 20-872-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	

SDS: 260 COSMOS Organic Bergamot Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 16/01/2020 - Version: 3



	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
7.56% Г-Terpinene (p-mentha-1,4-diene)	
CAS NUMBER: 99-85-4	EC NUMBER: 202-794-6
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 – H226
	Asp Tox. 1 – H304
1.89% α-Pinene	
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3, H226
	Asp. Tox. 1, H304
	Skin Sens.1, H317
	Aquatic Acute 1, H400
	Aquatic Chronic 1, H410
1.14% Myrcene	
CAS NUMBER: 123-35-3	EC NUMBER: 204-622-5
	Flam. Lig. 3 - H226
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 - H304
	Aquatic Chronic 3 - H412
1.5% Citral	50
CAS NUMBER: 5392-40-5	EC NUMBER: 226-394-6
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Skin Sens. 1 - H317
0.56% Geranyl Acetate	
CAS NUMBER: 105-87-3	EC NUMBER: 203-341-5
CLASSIFICATION (EC 1272/2008):	Aquatic Chronic 2 - H411
0.41% Beta Caryophyllene	
CAS NUMBER: 87-44-5	EC NUMBER: 201-746-1
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 - H304
0.22% P-Mentha-1,3-Diene	
CAS NUMBER: 99-86-5	EC NUMBER: 202-795-1
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 - H304
	Acute Tox. 4, - H302
	Aquatic Chronic 2, - H411
	Flam. Liq. 3 - H226
0.22% P-Cymene	
CAS NUMBER: 99-87-6	EC NUMBER: 202-796-7
CLASSIFICATION (EC 1272/2008):	Flam. Lig. 3 - H226
	Asp. Tox. 1 - H304
	Acute Tox. 5 - H303
	Aquatic Chronic 2 - H411
	Skin Irrit. 3 -H316
0.17% D, L-Limonene (Isomer Unspecified)	
CAS NUMBER: 7705-14-8	EC NUMBER: 231-732-0
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315

SDS: 260 COSMOS Organic Bergamot Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 16/01/2020 - Version: 3



Skin Sens. 1 - H317

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

4: FIRST AID MEASURES	
INHALATION:	Get medical attention immediately. Remove from exposure site to
	fresh air, keep at rest, and obtain medical attention.
INGESTION:	Get medical attention immediately. Immediately call the poison
	centre or doctor. Rinse mouth with water and obtain medical
	attention.
SKIN CONTACT:	Remove contaminated clothes. Wash thoroughly with soap and
	water. Contact physician if irritation persists.
EYE CONTACT:	Flush immediately with water for at least 15 minutes. Contact
	physician if symptoms persist.
GENERAL INFORMATION:	Always remove contaminated clothing immediately.
NOTES FOR THE DOCTOR:	May be fatal if swallowed and enters airways.
	Causes skin irritation.
	May cause an allergic skin reaction.
	Causes serious eye irritation.
E-EIDEEIGHTING MEASURES	
5: FIREFIGHTING MEASURES EXTINGUISHING MEDIA RECOMMENDED:	Foam, CO ₂ , Dry Chemical Powder.
SPECIAL HAZARDS ARISING FROM THE	roani, co ₂ , bry chemical rowder.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:	Burning produces irritating, toxic and obnoxious fumes.
Advice for Firefighters:	Wear positive pressure self-contained breathing apparatus (scuba)
	and appropriate protective clothing.
6: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS:	Ensure adequate ventilation of the working area, evacuate personnel
	to safe area, wear suitable protective equipment. No smoking, sparks,
	flames or other sources of ignition near spillage. Avoid contact with
	skin, eyes and clothing. Avoid inhalation.
ENVIRONMENT PRECAUTIONS:	Do not discharge into drains, water courses or onto the ground.
	Dispose of in line with local authority guidelines.
CLEANING UP METHODS FOR SPILLAGES:	Remove ignition sources. Provide adequate ventilation. Avoid
	excessive inhalation of vapours. Contain spillage immediately by use
	of sand or inert powder. Dispose of according to local regulations.
7: HANDLING AND STORAGE	Llandle in accordance with good bugiene and cafety practice. Keen
USAGE PRECAUTIONS:	Handle in accordance with good hygiene and safety practice. Keep away from heat, sparks, open flames and hot surfaces no
	smoking. Use personal protective equipment as required.
OCCUPATIONAL HYGIENE:	Use in accordance with good manufacturing and industrial hygiene
Occorational argiene.	practices. Use in areas with adequate ventilation. Do not eat, drink
	or smoke when using this product.
STORAGE PRECAUTIONS:	Keep the product container tightly closed, in a dry, ventilated area.
	Keep away from potential sources of ignition and protected from
	light. Maintain limited contact with oxygen.

SDS: 260 COSMOS Organic Bergamot Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 16/01/2020 - Version: 3



8: EXPOSURE CONTROLS/PERSONAL PROTECTION



PERSONAL PROTECTION:

APPROPRIATE ENGINEERING CONTROLS:	Ensure work area is well ventilated. Provide Safety shower and eye
	bath.
EYE/FACE PROTECTION:	Wear eye/face protection.
HAND PROTECTION:	Wear protective gloves.
OTHER SKIN AND BODY PROTECTION:	Wear protective clothing to reduce the risk of skin and eye contact.
HYGIENE MEASURES:	Good personal hygiene practises are always advisable, especially when working with chemicals including oils.
RESPIRATORY PROTECTION:	Under normal conditions of use and where adequate ventilation is available to prevent build-up of excessive vapour, this material should not require special engineering controls. However, in
	conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering
	controls can be used to minimise exposure to personnel: A)
	Increase ventilation of the area with local exhaust ventilation. B)
	Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or cannisters and particulate filters.
	C) Use closed systems for transferring and processing this material.
	Also refer to Sections 2 and 7.
ENVIRONMENTAL EXPOSURE CONTROLS:	Avoid discharging into drainage Water.
PERSONAL PROTECTION:	Avoid inhalation of the product. Avoid contact with skin and eves.

9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Liquid.
COLOUR:	Pale Yellow to Yellow
Odour:	Characteristic- Citrus, bergamot.
FLASH POINT °C:	54°C
SPECIFIC GRAVITY @ 20°C:	0.860 – 0.875
REFRACTIVE INDEX @ 20°C:	1.457 – 1.470
SOLUBILITY IN WATER @ 20°C	Insoluble in water.
10: STABILITY AND REACTIVITY	
REACTIVITY:	Not applicable.
CHEMICAL STABILITY:	Stable under suggested storage conditions (<15°C).
Possibility of Hazardous Reactions:	No.
CONDITIONS TO AVOID:	Storage at high temperatures. Do not store above 15°C.
INCOMPATIBLE MATERIALS:	Avoid concentrated acids, alkalis & oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS:	This product does not decompose under normal conditions. Under fire conditions the product will produce a mixture of irritating

fumes, smoke and carbon monoxide.



11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

- Assumed Toxicity Value (LD50	
OR ATE) FOR ACUTE ORAL	13396.24
Τοχιςιτή:	
- Assumed Toxicity Value (LD50	
Or Ate) For Acute Dermal	207373.27
Τοχιςιτή:	
- ASSUMED TOXICITY VALUE (LD50	
OR ATE) FOR ACUTE INHALATION	n/a
Τοχιςιτγ:	
- INHALATION ROUTE:	n/a
Skin Irritation:	Causes Skin Irritation (H315)
Eye Damage or Irritation:	No Data.
Respiration or Skin Sensitivity:	May cause an allergic skin reaction (H317).
Germ Cell Mutagenicity:	No Data.
Carcinogenicity:	No Data.
Reproductive Toxicity:	No Data.
STOT – Single Exposure:	No Data.
STOT – Repeated Exposure:	No Data.
Aspiration Hazard:	May be fatal if swallowed and enters airways. (H304).
Other Information:	No Data.
12: ECOLOGICAL INFORMATION	
TOXICITY:	Harmful to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	No Data.

TOXICITY:	Harmful to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	No Data.
BIOACCUMULATIVE POTENTIAL:	None.
MOBILITY IN SOIL:	None.
RESULTS OF PBT AND VPVB ASSESSMENT:	This substance does not meet PBT/vPvB criteria of REACH, annex
	XIII
PRECAUTIONS:	Do not allow product to enter streams, sewers or other
	waterways.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

Always recover spilled product. Discard waste material with authorised waste management services. Act in accordance with local & national waste regulations.

14: TRANSPORT INFORMATION

UN NO. (ROAD/SEA/AIR): PROPER SHIPPING NAME: TRANSPORT HAZARD CLASS(ES):

- ADR/RID/ADN CLASS:
- IMDG CLASS:
- ICAO CLASS:

PACKING GROUP:

- ADR/RID/ADN PACKING GROUP: III

UN1169 Extracts, Aromatic, Liquid.

- 3 Flammable Liquid. 3 Flammable Liquid.
- 3 Flammable Liquid.





0000111111 01109	onneuro e uronnunerup, producto
- IMDG PACKING GROUP:	III
- ICAO PACKING GROUP:	III
Environmental Hazards:	Environmentally hazardous/ marine pollutant.
TRANSPORT IN BULK ACCORDING TO ANNEX I	Not applicable
OF MARPOL73/78 AND THE IBC CODE:	
15: REGULATORY INFORMATION	
STATUTORY INSTRUMENTS:	The Chemicals (Hazard Information & Packaging for Supply) Regulations 2009 (S.I.2009 NO 716).
EU legislation: Guidance:	Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18th December 2006. Concerning the registration, evaluation, authorization & restriction of chemicals (reach), establishing a European Chemicals Agency, amending directive 1999/45/EC and repealing council regulation (EEC) No793/93 & commission regulation (EC) No1488/94 as well as council directive 76/769/EEC & commission directive 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (including amendments). Workplace Exposure Limits EH40. Chip for Everyone HSG 108.
16: OTHER INFORMATION	
HAZARD STATEMENTS IN FULL:	H226 Flammable liquid and vapour.
	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.