

# **SAFETY DATA SHEET**

### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **COSMOS Organic Eucalyptus Essential Oil** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **263** CAS NUMBER: 800-48-4/84625-32-1 EC NUMBER: 283-406-2 INCI: *Eucalyptus globulus* Leaf Oil BIOLOGICAL DEFINITION: *Eucalyptus globulus leaf oil* is the volatile oil obtained from the fresh leaves of the *eucalyptus, eucalyptus globulus* and other species of *eucalyptus, myrtaceae. Syn.* 


### **2: HAZARDS IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

### CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Flam. Liq. 3 – H226.
-	HEALTH HAZARDS:	Asp. Tox. 1 – H304.
		Skin Sens. 2 – H317.
-	ENVIRONMENTAL HAZARDS:	Aquatic Chronic 2 – H411

#### LABEL ELEMENTS





SUPPLEMENTARY PRECAUTIONARY	P210 Keep Away from Heat/Sparks/Open Flames/Hot Surfaces No
STATEMENTS:	Smoking.
	P233 Keep Container Tightly Closed.
	P240 Ground/Bond Container and Receiving Equipment.
	P241 Use Explosion-Proof Electrical/Ventilating/Lighting//Equipment.
	P242 Use Only Non-Sparking Tools.
	P243 Take Precautionary Measures Against Static Discharge.
	P261 Avoid Breathing Dust/Fume/Gas/Mist/Vapours/Spray.
	P272 Contaminated Work Clothing Should Not Be Allowed Out of The
	Workplace.
	P302+352 If on Skin: Wash with Plenty of Soap and Water.
	P303+361+353 If on Skin (Or Hair): Remove/Take Off Immediately All
	Contaminated
	Clothing. Rinse Skin with Water/Shower.
	P321 Specific Treatment (See On This Label).
	P333+313 If Skin Irritation or Rash Occurs: Get Medical
	Advice/Attention.
	P363 Wash Contaminated Clothing Before Reuse.
	P370+378 In Case of Fire: Use For Extinction.
	P403+235 Store in A Well-Ventilated Place. Keep Cool.
	P405 Store Locked Up.
Contains:	ALPHA PINENE NATURAL, BETA PINENE, LIMONENE.
	· · · ·

### **<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>**

60-100% Cineol		
CAS NUMBER: 470-67-7	EC NUMBER: 207-428-9	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3, H226	
5 – 10.0% Limonene		
CAS NUMBER: 5989-27-5	EC NUMBER: 227-813-5	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Skin Irrit 2 – H315	
	Asp Tox. 1 – H304	
	Skin Sens. 1 – H317	
	Aquatic Acute 1 – H400	
	Aquatic Chronic 1 – H410	
≤5% G-Terpinene		
CAS NUMBER: 99-85-4	EC NUMBER: 202-794-6	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
≤5% Alpha-Pinene		
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Asp. Tox. 1 - H304	
	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	

### SDS: 263 COSMOS Organic Eucalyptus Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 10/12/2020- Version: 3



	- • -
≤5% Beta-Pinene	
CAS NUMBER: 127-91-3	EC NUMBER: 204-872-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
≤5% Para-Cymene	
CAS NUMBER: 99-87-6	EC NUMBER: 202-796-7
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
	Aquatic Chronic 2 – H411

The full text for all hazard statements is displayed in Section 16.

4: FIRST AID MEASURES	
INHALATION:	Get medical attention immediately. Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
INGESTION:	Get medical attention immediately. Immediately call the poison centre or doctor. Rinse mouth with water and obtain medical attention.
SKIN CONTACT:	Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.
EYE CONTACT:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
GENERAL INFORMATION: NOTES FOR THE DOCTOR:	Always remove contaminated clothing immediately. Treat symptomatically.
	Observe risk of aspiration if vomiting occurs.
5: FIREFIGHTING MEASURES	
EXTINGUISHING MEDIA RECOMMENDED:	Foam, CO <sub>2</sub> , Dry Chemical Powder.
SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:	Burning produces irritating, toxic and obnoxious fumes.
Advice for Firefighters:	Wear positive pressure self-contained breathing apparatus (scuba) and appropriate protective clothing.
6: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS:	Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective equipment. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Avoid inhalation.
ENVIRONMENT PRECAUTIONS:	Do not discharge into drains, water courses or onto the ground. Dispose of in line with local authority guidelines.
CLEANING UP METHODS FOR SPILLAGES:	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations. Cover with any inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).



Wear eye/face protection. (EN166)

protective gloves has to be observed.

protective device recommended.

Avoid discharging into drainage water.

when working with chemicals including oils.

bath.

#### 7: HANDLING AND STORAGE

USAGE PRECAUTIONS:

**OCCUPATIONAL HYGIENE:** 

STORAGE PRECAUTIONS:

Handle in accordance with good hygiene and safety practice. Keep away from heat, sparks, open flames and hot surfaces. - no smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

Flammable liquid. Store only in the original receptacle. Keep container tightly sealed. Keep in cool, dry, ventilated storage and closed containers. Keep away from heat.

Ensure work area is well ventilated. Provide Safety shower and eye

Avoid contact with skin. Wash hands before breaks and at end of work. Wear protective gloves. DIN/EN374. The glove material has to be impermeable and resistant to the product. The exact break through time has to be found out by the manufacturer of the

Wear protective clothing to reduce the risk of skin and eye contact.

Good personal hygiene practises are always advisable, especially

Do not inhale gases/fumes/aerosols. Certified respiratory

Use personal protection according to directive 89/686/EEC.

### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



APPROPRIATE ENGINEERING CONTROLS:

EYE/FACE PROTECTION:	
HAND PROTECTION:	

OTHER SKIN AND BODY PROTECTION: HYGIENE MEASURES:

**RESPIRATORY PROTECTION:** 

ENVIRONMENTAL EXPOSURE CONTROLS: PERSONAL PROTECTION:

#### **<u>9: PHYSICAL AND CHEMICAL PROPERTIES</u>**

Appearance:	Clear liquid.
COLOUR:	Pale Yellow
Odour:	Characteristic
FLASH POINT °C:	49°C
SPECIFIC GRAVITY @ 20°C:	0.905 – 0.925
Refractive index @ 20°C:	1.457 – 1.467
SOLUBILITY IN WATER @ 20°C	Insoluble in water.



10: STABILITY AND REACTIVITY	on mente e al on anticitary produces
REACTIVITY:	Not applicable.
CHEMICAL STABILITY:	Stable under suggested storage conditions (<15°C).
	Stable under normal conditions.
Possibility of Hazardous Reactions:	None under normal processing.
CONDITIONS TO AVOID:	Storage at high temperatures. Do not store above 15°C. Avoid
	heat, flames and other sources of ignition.
INCOMPATIBLE MATERIALS:	Avoid concentrated acids, alkalis & oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS:	This product does not decompose under normal conditions. Under
	fire conditions the product will produce a mixture of irritating
	fumes, smoke and carbon monoxide.
11: TOXICOLOGICAL INFORMATION	
Acute Toxicity:	Toxic to aquatic organisms, may cause long term adverse effects in
	the aquatic environment.
Skin Irritation:	May cause allergic reaction.
Eye Damage or Irritation:	May have reversible effects on the eyes, such as eye irritation
Lie Bamage of mitation.	which is totally reversible by the end of observation at 21 days.
	Treat immediately.
Respiration or Skin Sensitivity:	In high concentrations, vapours may irritate throat and respiratory
, , ,	system and cause coughing.
Germ Cell Mutagenicity:	No data.
Carcinogenicity:	No data.
Reproductive Toxicity:	No data.
STOT – Single Exposure:	No data.
STOT – Repeated Exposure:	No data.
Aspiration Hazard:	No data.
Other Information:	No data.
<b>12: ECOLOGICAL INFORMATION</b>	
TOXICITY:	No data, but it must be considered that this product may be
	dangerous for the environment.
PERSISTENCE AND DEGRADABILITY:	No data.
BIOACCUMULATIVE POTENTIAL:	No data.

BIOACCUMULATIVE POTENTIAL: MOBILITY IN SOIL: RESULTS OF PBT AND VPVB ASSESSMENT: PRECAUTIONS:

13: DISPOSAL CONSIDERATIONS

No data.

No data.

No data.

DISPOSAL METHODS:

Always recover spilled product. Discard waste material with authorised waste management services. Act in accordance with local & national waste regulations.



## **14: TRANSPORT INFORMATION**

UN NO. (ROAD/SEA/AIR): PROPER SHIPPING NAME:

#### TRANSPORT HAZARD CLASS(ES):

- ADR/RID/ADN CLASS:
- IMDG CLASS:
- ICAO CLASS:

#### PACKING GROUP:

- ADR/RID/ADN PACKING GROUP:
- IMDG PACKING GROUP:
- ICAO PACKING GROUP:

**ENVIRONMENTAL HAZARDS:** 

### UN1169 Extracts, Aromatic, Liquid.

- 3 Flammable Liquid. 3 Flammable Liquid.
- 3 Flammable Liquid.

Environmentally hazardous/

marine pollutant.



SPECIAL PRECAUTIONS FOR USER:

EMS NUMBER:

- EMERGENCY ACTION CODE:
  HAZARD NO. (ADR):
- 3Y

None.

Ш

30 Flammable liquid (Flash-point 23  $^{\circ}$  C and 60  $^{\circ}$  C, inclusive) F-E, S-D

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:

#### **15: REGULATORY INFORMATION**

STATUTORY INSTRUMENTS:

EU LEGISLATION:

GUIDANCE:

The Chemicals (Hazard Information & Packaging for Supply) Regulations 2009 (S.I.2009 NO 716). Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18th December 2006. Concerning the registration, evaluation, authorization & restriction of chemicals (reach), establishing a European Chemicals Agency, amending directive 1999/45/EC and repealing council regulation (EEC) No793/93 & commission regulation (EC) No1488/94 as well as council directive 76/769/EEC & commission directive 91/155/ECC, 93/67/ECC,

Workplace Exposure Limits EH40. Chip for Everyone HSG 108.

93/105/EEC & 2000/21/EC (including amendments).

ANCE:



### **16: OTHER INFORMATION**

HAZARD STATEMENTS IN FULL:

H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.