

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: COSMOS Organic Orange Essential Oil

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: **270**CAS NUMBER: 8028-48-6
EC NUMBER: 232-433-8

INCI: Citrus aurantium dulcis fruit oil

BIOLOGICAL DEFINITION: Citrus aurantium dulcis peel oil expressed is an essential oil expressed from the fresh epicarps

of the sweet orange, citrus aurantium I. var. dulcis I. (syn: citrus sinensis).

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

- PHYSICAL HAZARDS: Hazards Flam. Liq. 3 - H226

- HEALTH HAZARDS: Skin Irrit. 2 - H315

Skin Sens. 1 - H317 Asp. Tox. 1 - H304

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 1 - H410

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H226 Flammable Liquid and Vapour.

H304 May Be Fatal If Swallowed and Enters Airways.

H315 Causes Skin Irritation.

H317 May Cause an Allergic Skin Reaction.

H410 Very Toxic to Aquatic Life with Long Lasting Effects.

PRECAUTIONARY STATEMENTS: P210 Keep Away from Heat/Sparks/Open Flames/Hot Surfaces. - No

Smoking.

P241 Use Explosion-Proof Electrical/Ventilating/Lighting/.../Equipment.

P273 Avoid Release to The Environment.

P280 Wear Protective Gloves/Protective Clothing/Eye Protection/Face

Protection.

P262 Do Not Get in The Eyes, On Skin, Or on Clothing. P301+310 If Swallowed: Immediately Call A Poison Centre or

Doctor/Physician.

P303+361+353 If on Skin (Or Hair): Remove/Take Off Immediately All

Contaminated Clothing. Rinse Skin With Water/Shower.

SDS: 270 COSMOS Organic Orange Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 10/12/2020- Version: 4
Page 1 of 8



SUPPLEMENTARY PRECAUTIONARY

STATEMENTS

P233 Keep Container Tightly Closed.

P240 Ground/Bond Container and Receiving Equipment.

P242 Use Only Non-Sparking Tools.

P243 Take Precautionary Measures Against Static Discharge. P261 Avoid Breathing Dust/Fume/Gas/Mist/Vapours/Spray.

P264 Wash ... Thoroughly After Handling.

P272 Contaminated Work Clothing Should Not Be Allowed Out of The

Workplace.

P302+352 If on Skin: Wash with Plenty of Soap and Water.

P321 Specific Treatment (See ... On This Label).

P331 Do Not Induce Vomiting.

P332+313 If Skin Irritation Occurs: Get Medical Advice/Attention.

P333+313 If Skin Irritation or Rash Occurs: Get Medical

Advice/Attention.

P362 Take Off Contaminated Clothing and Wash Before Reuse.

P363 Wash Contaminated Clothing Before Reuse. P370+378 In Case of Fire: Use ... For Extinction.

P391 Collect Spillage.

P403+235 Store in A Well-Ventilated Place. Keep Cool.

P405 Store Locked Up.

P501 Dispose of Contents/Container in Accordance with Local and

National Regulations.

CONTAINS: Alpha Pinene Natural, A-Terpineol (P-Menth-1-En-8-OI), Citral,

Citronellal, Decanal, D-limonene, Linalool, Myrcene (7-Methyl-3-

Methyleneocta-1,6-Diene), Octanal

3: COMPOSITION/INFORMATION ON INGREDIENTS

≤97.0% D-Limonene

CAS NUMBER: 5989-27-5 EC NUMBER: 227-813-5 CLASSIFICATION (EC 1272/2008): Flam. Liq. 3 - H226

Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

1.0 - 5.0 A-Pinene

CAS NUMBER: 80-56-8 EC NUMBER: 201-291-9

CLASSIFICATION (EC 1272/2008): Flam. Liq. 3 - H226 Skin Irrit. 2 - H315

> Skin Sens. 1 - H317 Asp. Tox. 1 - H304

1.0 - 5.0% A- Terpineol (P-Meth-1-En-8-Ol)

CAS NUMBER: 98-55-5 EC NUMBER: 202-680-6

CLASSIFICATION (EC 1272/2008): Skin Irrit. 2 - H315 Eye Irrit. 2 - H319



1.0 – 5.0 Citral	
CAS NUMBER: 5392-40-5	EC NUMBER: 226-394-6
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Eye Irrit.2 - H319
1.0 – 5.0% Citronellal	
CAS NUMBER: 106-23-0	EC NUMBER: 203-376-6
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Aquatic Chronic 2 - H411
1.0 – 5.0% Decanal	
CAS NUMBER: 112-31-2	EC NUMBER: 203-957-4
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Aquatic Chronic 3 - H412
1.0 – 5.0% Linalool	
CAS NUMBER: 78-70-6	EC NUMBER: 201-134-4
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
1.0 – 5.0% Myrcene (7-Methyl-3-Methyleneocta-1,6-Diene)	
CAS NUMBER: 123-35-3	EC NUMBER: 204-622-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
1.0 - 5.0% Octanal	
CAS NUMBER: 124-13-0	EC NUMBER: 204-683-8
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Aquatic Chronic 3 - H412

The full text for all hazard statements is displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Get medical attention immediately. Remove from exposure site to

fresh air, keep at rest, and obtain medical attention.

INGESTION: Get medical attention immediately. Rinse mouth with water and

obtain medical attention.

SKIN CONTACT: Remove contaminated clothes. Wash thoroughly with soap and

water. Contact physician if irritation persists.

EYE CONTACT: Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

GENERAL INFORMATION: Always remove contaminated clothing immediately.

NOTES FOR THE DOCTOR: No data



5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Foam, CO₂, Dry Chemical Powder.

SPECIAL HAZARDS ARISING FROM THE

SUBSTANCE OR MIXTURE:

Burning produces irritating, toxic and obnoxious fumes.

ADVICE FOR FIREFIGHTERS: Wear positive pressure self-contained breathing apparatus (scuba)

and appropriate protective clothing.

6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Ensure adequate ventilation of the working area, evacuate personnel

to safe area, wear suitable protective equipment. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with

skin, eyes and clothing.

ENVIRONMENT PRECAUTIONS: Do not discharge into drains, water courses or onto the ground.

Dispose of in line with local authority guidelines.

CLEANING UP METHODS FOR SPILLAGES: Remove ignition sources. Provide adequate ventilation. Avoid

excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Handle in accordance with good hygiene and safety practice. Keep

away from heat, sparks, open flames and hot surfaces. - no smoking. Use personal protective equipment as required.

OCCUPATIONAL HYGIENE: Use in accordance with good manufacturing and industrial hygiene

practices. Use in areas with adequate ventilation. Do not eat, drink

or smoke when using this product.

STORAGE PRECAUTIONS: Keep the product container tightly closed, in a dry, ventilated area.

Keep away from potential sources of ignition and protected from

light. Maintain limited contact with oxygen.



8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Ensure work area is well ventilated. Provide Safety shower and eye

bath.

EYE/FACE PROTECTION: Wear eye/face protection. HAND PROTECTION: Wear protective gloves.

OTHER SKIN AND BODY PROTECTION: Wear protective clothing to reduce the risk of skin and eye contact.

HYGIENE MEASURES: Good personal hygiene practises are always advisable, especially

when working with chemicals including oils.

RESPIRATORY PROTECTION: Under normal conditions of use and where adequate ventilation is

available to prevent build-up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: A) Increase ventilation of the area with local exhaust ventilation. B) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or cannisters and particulate filters. C) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

ENVIRONMENTAL EXPOSURE CONTROLS: Avoid discharging into drainage Water.

PERSONAL PROTECTION: Avoid inhalation of the product. Avoid contact with skin and eyes.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid.

COLOUR: Orange to Orangey Red

ODOUR: Characteristic

FLASH POINT °C: 48°C

 SPECIFIC GRAVITY @ 20°C:
 0.838 - 0.850

 REFRACTIVE INDEX @ 20°C:
 1.468 - 1.480

 SOLUBILITY IN WATER @ 20°C
 No data

10: STABILITY AND REACTIVITY

REACTIVITY: No hazardous reactions if stored and handled as

prescribed/indicated.

CHEMICAL STABILITY: Stable under suggested storage conditions (<15°C).

POSSIBILITY OF HAZARDOUS REACTIONS: NO.

CONDITIONS TO AVOID: Storage at high temperatures. Do not store above 15°C.

INCOMPATIBLE MATERIALS: Strong oxidising substances.

HAZARDOUS DECOMPOSITION PRODUCTS: This product does not decompose under normal conditions. Under

fire conditions the product will produce a mixture of irritating

fumes, smoke and carbon monoxide.

SDS: 270 COSMOS Organic Orange Essential Oil



11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Toxic to aquatic organisms, may cause long term adverse effects in

the aquatic environment.

Skin Irritation: May cause sensitisation by skin contact.

Eye Damage or Irritation: Spray and vapour in the eyes may cause irritation and smarting.

Respiration or Skin Sensitivity: In high concentrations, vapours may irritate throat and respiratory

system and cause coughing.

Germ Cell Mutagenicity: No data.

Carcinogenicity:

Reproductive Toxicity:

STOT – Single Exposure:

STOT – Repeated Exposure:

Aspiration Hazard:

Other Information:

Not applicable

Not applicable

Not applicable

No data.

12: ECOLOGICAL INFORMATION

TOXICITY: The product contains a substance which is toxic to aquatic

organisms and which may cause long term adverse effects in the

aquatic environment.

PERSISTENCE AND DEGRADABILITY:

No data.

BIOACCUMULATIVE POTENTIAL:

No data.

MOBILITY IN SOIL:

No data.

RESULTS OF PBT AND VPVB ASSESSMENT:

No data.

PRECAUTIONS: Do not allow product to enter streams, sewers or other

waterways.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Always recover spilled product. Discard waste material with

authorised waste management services. Act in accordance with

local & national waste regulations.



14: TRANSPORT INFORMATION

UN No. (ROAD/SEA/AIR): UN1169

PROPER SHIPPING NAME: Flammable Liquid, N.O.S. (Terpene Hydrocarbons).

TRANSPORT HAZARD CLASS(ES):

ADR/RID/ADN CLASS: 3 Flammable Liquid.
 IMDG CLASS: 3 Flammable Liquid.
 ICAO CLASS: 3 Flammable Liquid.



PACKING GROUP:

- ADR/RID/ADN PACKING GROUP: III
- IMDG PACKING GROUP: III
- ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous/

marine pollutant.



SPECIAL PRECAUTIONS FOR USER:

- EMS F-E, S-D

- HAZARD NO. (ADR): 30 flammable liquid (flashpoint between 23°c and 60°c, inclusive)

or flammable liquid or solid in the molten state with a flashpoint above 60°c, heated to a temperature equal to or above its

flashpoint, or self-heating liquid.

- TUNNEL RESTRICTION CODE: (D/E)

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:

Packed and transferred according to transport regulations.

15: REGULATORY INFORMATION

STATUTORY INSTRUMENTS: The Chemicals (Hazard Information & Packaging for Supply)

Regulations 2009 (S.I.2009 NO 716).

EU LEGISLATION: Regulation (EC) No 1907/2006 of the European Parliament and of

the council of 18th December 2006. Concerning the registration, evaluation, authorization & restriction of chemicals (reach), establishing a European Chemicals Agency, amending directive 1999/45/EC and repealing council regulation (EEC) No793/93 & commission regulation (EC) No1488/94 as well as council directive

76/769/EEC & commission directive 91/155/ECC, 93/67/ECC,

93/105/EEC & 2000/21/EC (including amendments).

GUIDANCE: Workplace Exposure Limits EH40. Chip for Everyone HSG 108.



16: OTHER INFORMATION

HAZARD STATEMENTS IN FULL: H319 Causes Serious Eye Irritation.

H315 Causes Skin Irritation.

H226 Flammable Liquid and Vapour.

H412 Harmful to Aquatic Life with Long Lasting Effects. H304 May Be Fatal If Swallowed and Enters Airways.

H317 May Cause an Allergic Skin Reaction.

H411 Toxic to Aquatic Life with Long Lasting Effects. H410 Very Toxic to Aquatic Life with Long Lasting Effects.

H400 Very Toxic to Aquatic Life.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.