

## **SAFETY DATA SHEET**

#### 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **Melon Fragrance** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **357** IDENTIFIED USES: Concentrated material for manufacturing purposes only.

### **2: HAZARDS IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Not Classified
-	HEALTH HAZARDS:	Skin Sens. 1 - H317
-	ENVIRONMENTAL HAZARDS:	Aquatic Acute 1 - H400
		Aquatic Chronic 2 - H411

#### LABEL ELEMENTS

PICTOGRAM:	3
SIGNAL WORD:	WARNING
HAZARD STATEMENTS:	H317 May cause an allergic skin reaction.
	H400 Very toxic to aquatic life.
	H411 Toxic to aquatic life with long lasting effects.
PRECAUTIONARY STATEMENTS:	P261 Avoid breathing vapour/spray.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P333+P313 If skin irritation or rash occurs: Get medical
	advice/attention.
	P501 Dispose of contents/container in accordance with national regulations.
SUPPLEMENTARY PRECAUTIONARY	P272 Contaminated work clothing should not be allowed out of the
STATEMENTS:	workplace.
	P321 Specific treatment (see medical advice on this label).
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P391 Collect spillage.
CONTAINS:	HEXYL CINNAMAL, HYDROXYCITRONELLAL, ETHYL
	METHYLPHENYLGLYCIDATE, EUGENOL, CITRONELLOL

#### SDS: 357 Melon Fragrance



3: COMPOSITION/INFORMATION O	N INGREDIENTS	
HEXYL CINNAMAL		10-30%
CAS number: 101-86-0	EC number: 202-983-3	
M factor (Acute):	1	
Classification:	Skin Sens. 1B - H317	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 2 - H411	
HYDROXYCITRONELLAL		5-10%
CAS number: 107-75-5	EC number: 203-518-7	
Classification:	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
ETHYL METHYLPHENYLGLYCIDATE		5-10%
CAS number: 77-83-8	EC number: 201-061-8	
Classification:	Skin Sens. 1 - H317	
	Aquatic Chronic 2 - H411	
GAMMA-UNDECALACTONE		1-5%
CAS number: 104-67-6	EC number: 203-225-4	
Classification:	Aquatic Chronic 3 - H412	
HEXAMETHYLINDANOPYRAN		1-5%
CAS number: 1222-05-5	EC number: 214-946-9	
M factor (Acute):	1	
M factor (Chronic):	1	
Classification:	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
EUGENOL		1-5%
CAS number: 97-53-0	EC number: 202-589-1	
Classification:	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
CITRONELLOL		1-5%
CAS number: 106-22-9	EC number: 203-375-0	
Classification:	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 2 - H411	

The full text for all hazard statements is displayed in Section 16.



4: FIRST AID MEASURES	× • *
INHALATION:	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.
5: FIREFIGHTING MEASURES	
EXTINGUISHING MEDIA RECOMMENDED:	Foam, carbon dioxide (CO2) or dry powder.
UNSUITABLE EXTINGUISHING MEDIA:	Full water jet.
SPECIFIC HAZARDS:	Toxic gases or vapours.
SPECIAL HAZARDS ARISING FROM THE PRODUCT:	Closed containers may build up pressure at elevated temperatures.
Advice for firefighters:	
<ul> <li>PROTECTIVE ACTIONS DURING FIREFIGHTING:</li> </ul>	Containers close to fire should be removed or cooled with water.
- SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS:	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### **<u>6: ACCIDENTAL RELEASE MEASURES</u>**

PERSONAL PRECAUTIONS:

ENVIRONMENT PRECAUTIONS: CLEANING UP METHODS FOR SPILLAGES: Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground. Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.



7: HANDLING AND STORAGE	
USAGE PRECAUTIONS:	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.
Advice on general occupational hygiene:	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.
STORAGE PRECAUTIONS:	Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.

#### **8: EXPOSURE CONTROLS/PERSONAL PROTECTION**



APPROPRIATE ENGINEERING CONTROLS:	Provide adequate ventilation.
EYE/FACE PROTECTION:	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
HAND PROTECTION:	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
OTHER SKIN AND BODY PROTECTION:	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
Hygiene measures:	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
RESPIRATORY PROTECTION:	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
ENVIRONMENTAL EXPOSURE CONTROLS:	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

#### **<u>9: PHYSICAL AND CHEMICAL PROPERTIES</u>**

Appearance:	Liquid.
COLOUR:	Colourless to pale yellow.
Odour:	Characteristic.
Flash Point °C:	> 62
SPECIFIC GRAVITY @ 20°C:	~ 0.985
Refractive index @ 20°C:	~ 1.472

#### **10: STABILITY AND REACTIVITY**

Stability:	S
POSSIBILITY OF HAZARDOUS REACTIONS:	V
CONDITIONS TO AVOID:	A
MATERIALS TO AVOID:	S

Stable at normal ambient temperatures. Will not polymerise. Avoid heat, flames and other sources of ignition. Strong oxidising agents. Strong acids. Strong alkalis.

#### SDS: 357 Melon Fragrance

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 02/08/2019 Version: 3



HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
<b>11: TOXICOLOGICAL INFORMATION</b>	
SKIN CONTACT:	Causes skin irritation.
<b>12: ECOLOGICAL INFORMATION</b>	
Есотохісіту:	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	The product contains substances which are not expected to be biodegradable.
BIOACCUMULATIVE POTENTIAL:	The product does not contain any substances expected to be bioaccumulating.
Mobility:	The product is insoluble in water.
RESULTS OF PBT AND VPVB ASSESSMENT:	This product does not contain any substances classified as PBT or vPvB.

#### **ECOLOGICAL INFORMATION ON INGREDIENTS**

HEXYL CINNAMAL	
Acute aquatic toxicity	
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Hexamethylindanopyran	
Acute Aquatic Toxicity	
LE(C)₅o	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
CHRONIC AQUATIC TOXICITY	
NOEC	$0.001 < NOEC \le 0.01$
Degradability	Rapidly degradable
M factor (Chronic)	1

#### **13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS:

Dispose of waste product or used containers in accordance with local regulations



#### **14: TRANSPORT INFORMATION**

14. INAN			
UN NO.	(ADR/RID/IMDG/ICAO/ADN):	3082	
PROPERS	SHIPPING NAME	ENVIR	
(ADR/R	ID/IMDG/ICAO/ADN):	(CON	
TRANSPO	DRT HAZARD CLASS(ES):		
-	ADR/RID/ADN CLASS:	9	
-	ADR/RID/ADN CLASSIFICATION	M6	
	CODE:		
-	ADR/RID LABEL:	9	
-	IMDG CLASS:	9	
-	ICAO CLASS/DIVISION:	9	
-	ADN CLASS:	9	
PACKING GROUP:			
-	ADR/RID/ADN PACKING GROUP:	Ш	
-	IMDG PACKING GROUP:	Ш	
-	ADN PACKING GROUP:	Ш	
-	ICAO PACKING GROUP:	Ш	
	MENITAL HAZADOS.	Enviro	

IVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ONTAINS HEXYL CINNAMAL, ETHYL METHYLPHENYLGLYCIDATE)



-	ADR/RID/ADN PACKING GROUP:	III	
-	IMDG PACKING GROUP:	III	
-	ADN PACKING GROUP:	III	
-	ICAO PACKING GROUP:	111	

**ENVIRONMENTAL HAZARDS:** 

Environmentally hazardous substance/marine pollutant



TRANSPORT IN BULK ACCORDING TO ANNEX II	Not applicable.
OF MARPOL73/78 AND THE IBC CODE:	
SPECIAL PRECAUTIONS FOR USER	
EMS:	F-A, S-F
ADR TRANSPORT CATEGORY:	3
EMERGENCY ACTION CODE:	•3Z
HAZARD IDENTIFICATION NUMBER	90
(ADR/RID):	
TUNNEL RESTRICTION CODE:	(E)

#### **15: REGULATORY INFORMATION**

EU LEGISLATION:

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Workplace Exposure Limits EH40.

**GUIDANCE:** 



#### **16: OTHER INFORMATION**

Key LITERATURE REFERENCES AND SOURCES FOR DATA European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.