

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **Peach Fragrance** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **365**

IDENTIFIED USES: Fragrance

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

-	PHYSICAL HAZARDS:	Not Classified
-	HEALTH HAZARDS:	Skin Sens. 1 - H317

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM: SIGNAL WORD: WARNING HAZARD STATEMENTS: H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. **PRECAUTIONARY STATEMENTS:** P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations. CONTAINS: 4-Tert-Butylcyclohexyl Acetate, Limonene SUPPLEMENTARY PRECAUTIONARY P272 Contaminated work clothing should not be allowed out of the STATEMENTS workplace. P321 Specific treatment (see medical advice on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.

SDS: 365 Peach Fragrance

Compiled by: Geoffrey Harris, Quality Control - Approved by: Johndan Chilcott, Regulatory Affairs - Date: 17/07/2019 Version: 3



3: COMPOSITION/INFORMATION ON INGREDIENTS			
4-TERT-BUTYLCYCLOHEXYL ACETATE	5-10%		
CAS number:	32210-23-4		
EC number:	250-954-9		
Classification	Skin Sens. 1B - H317		
PHENYLETHYL ALCOHOL	5-10%		
CAS number:	60-12-8		
EC number:	200-456-2		
Classification	Acute Tox. 4 - H302		
	Eye Irrit. 2 - H319		
LIMONENE	1-5%		
CAS number:	138-86-3		
EC number:	205-341-0		
M factor (Acute)	1		
M factor (Chronic)	1		
Classification	Flam. Liq. 3 - H226		
	Skin Irrit. 2 - H315		
	Skin Sens. 1 - H317		
	Asp. Tox. 1 - H304		
	Aquatic Acute 1 - H400		
	Aquatic Chronic 1 - H410		
AMYL SALICYLATE	1-5%		
CAS number:	2050-08-0		
EC number:	218-080-2		
M factor (Acute)	1		
M factor (Chronic)	1		
Classification	Acute Tox. 4 - H302		
	Aquatic Acute 1 - H400		
	Aquatic Chronic 1 - H410		
GAMMA-UNDECALACTONE	1-5%		
CAS number:	104-67-6		
EC number:	203-225-4		
Classification	Aquatic Chronic 3 - H412		
ALLYL CAPROATE	<1%		
CAS number:	123-68-2		
EC number:	204-642-4		
M factor (Acute)	1		
Classification	Acute Tox. 3 - H301		
	Acute Tox. 3 - H311		
	Acute Tox. 3 - H331		
	Aquatic Acute 1 - H400		
	Aquatic Chronic 3 - H412		



2-PROPENYL HEPTANOATE (ALLYL HEPTANOATE) <1%

CAS number:
EC number:
M factor (Acute)
Classification

142-19-8 205-527-1 1 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

FIREFIGHTERS:

TINJI AID MILAJORLJ	
INHALATION:	Move affected person to fresh air at once. Get medical attention if
	any discomfort continues.
INGESTION:	Rinse mouth thoroughly with water. Give plenty of water to drink.
	Get medical attention immediately.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap
	and water. Get medical attention if symptoms are severe or persist
	after washing.
EYE CONTACT:	Remove any contact lenses and open eyelids wide apart. Rinse
	immediately with plenty of water. Continue to rinse for at least 15
	minutes. Get medical attention if any discomfort continues.
GENERAL INFORMATION:	Persons suffering from asthma, eczema or skin problems should avoid
	contact, including dermal contact, with this product. See Section 11
	for additional information on health hazards.
NOTES FOR THE DOCTOR:	No specific recommendations.
5: FIREFIGHTING MEASURES	
	Trate suich suich also follow in a stire Teach, and so divide an de-
EXTINGUISHING MEDIA RECOMMENDED:	Extinguish with the following media: Foam, carbon dioxide or dry powder.
UNSUITABLE EXTINGUISHING MEDIA:	Water.
SPECIFIC HAZARDS:	Toxic gases or vapours.
PROTECTIVE ACTIONS DURING FIREFIGHTING:	Containers close to fire should be removed or cooled with water.
SPECIAL PROTECTIVE EQUIPMENT FOR	Wear positive-pressure self-contained breathing apparatus (SCBA)
of Editer horeentie Equilibrient Fun	treat positive pressure sent contained breathing appulates (sebit)

and appropriate protective clothing.



6: ACCIDENTAL RELEASE MEASURES		
PERSONAL PRECAUTIONS:	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.	
ENVIRONMENT PRECAUTIONS:	Do not discharge into drains or watercourses or onto the ground.	
CLEANING UP METHODS FOR SPILLAGES:	Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.	
7: HANDLING AND STORAGE		
USAGE PRECAUTIONS:	Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.	
OCCUPATIONAL HYGIENE:	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.	
STORAGE PRECAUTIONS:	Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight.	

8: EXPOSURE CONTROLS/PERSONAL PROTECTION



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation. EYE/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved HAND PROTECTION: standard should be worn if a risk assessment indicates skin contact is possible. OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact. **HYGIENE MEASURES:** No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. **RESPIRATORY PROTECTION:** No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SDS: 365 Peach Fragrance

Compiled by: Geoffrey Harris, Quality Control - Approved by: Johndan Chilcott, Regulatory Affairs - Date: 17/07/2019 Version: 3



ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

<u>9: PHYSICAL AND CHEMICAL PROPERTIES</u>

Appearance:	Liquid.	
COLOUR:	Colourless.	
Odour:	Characteristic.	
Flash Point °C:	> 62°C	
SPECIFIC GRAVITY @ 20°C:	~ 1.460 @ 20°C	
Refractive index @ 20°C:	~ 0.993 @ 20°C	

10: STABILITY AND REACTIVITY

STABILITY:	Stable at normal ambient temperatures
POSSIBILITY OF HAZARDOUS REACTIONS:	Will not polymerise.
CONDITIONS TO AVOID:	Avoid heat, flames and other sources of ignition.
MATERIALS TO AVOID:	Strong oxidising agents. Strong acids. Strong alkalis.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition or combustion may liberate carbon oxides
	and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

Acute toxicity - oral			
- ATE oral (mg/kg):	10,377.21912665		
Acute Toxicity - Dermal			
 ATE dermal (mg/kg): 	129,625.29274005		
ACUTE TOXICITY - INHALATION			
 ATE inhalation (vapours mg/l): 	476.19047619		
SKIN CONTACT	May cause an allergic skin reaction.		

TOXICOLOGICAL INFORMATION ON INGREDIENTS.

PHENYLETHYL ALCOHOL		
ACUTE TOXICITY - ORAL		
Acute toxicity oral (LD₅omg/kg):	1,603.3	
Species:	Rat	
ATE oral (mg/kg):	1,603.3	
AMYL SALICYLATE		
ACUTE TOXICITY - ORAL		
Acute toxicity oral (LD₅omg/kg):	2,000.0	
Species:	Rat	
ATE oral (mg/kg):	2,000.0	



ECOTOXICITY:Toxic to aquatic life with long lasting effects.PERSISTENCE AND DEGRADABILITY:The product contains substances which are not expected to be biodegradable.BIOACCUMULATIVE POTENTIAL:The product does not contain any substances expected to be bioaccumulating.MOBILITY IN SOIL:The product does not contain any substances expected to be bioaccumulating.MOBILITY IN SOIL:The product does not contain any substances expected to be bioaccumulating.MOBILITY IN SOIL:The product does not contain any substances classified as PBT or vPvB.ECOLOGICAL INFORMATION ON INGREDIENTSThis product does not contain any substances classified as PBT or vPvB.ELIMONENEACUTE AQUATIC TOXICITYLE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 MAMYL SALICYLATEACUTE AQUATIC TOXICITY 1 LE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 LE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 LE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 M factor (Chronic): 1	12: ECOLOGICAL INFORMATION		
biodegradable.BIOACCUMULATIVE POTENTIAL:The product does not contain any substances expected to be bioaccumulating.MOBILITY IN SOIL:The product is soluble in water.RESULTS OF PBT AND VPVB ASSESSMENT:This product does not contain any substances classified as PBT or vPvB. ECOLOGICAL INFORMATION ON INGREDIENTSLIMONENE ACUTE AQUATIC TOXICITYLE(C)so: $0.1 < L(E)CS0 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 AMYL SALICYLATEACUTE AQUATIC TOXICITYLE(C)so: $0.1 < L(E)CS0 \le 1$ M factor (Acute): 1 ACUTE AQUATIC TOXICITY 1 LE(C)so: $0.1 < L(E)CS0 \le 1$ M factor (Acute): 1 ACUTE AQUATIC TOXICITY 1 LE(C)so: $0.1 < L(E)CS0 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1	Εςοτοχιςιτη:	Toxic to aquatic life with long lasting effects.	
bioaccumulating.MOBILITY IN SOIL:The product is soluble in water.RESULTS OF PBT AND VPVB ASSESSMENT:This product does not contain any substances classified as PBT or vPvB. ECOLOGICAL INFORMATION ON INGREDIENTSLIMONENE ACUTE AQUATIC TOXICITYLE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITYM factor (Chronic): 1 AMYL SALICYLATE ACUTE AQUATIC TOXICITYLE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITYLE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITYLE(C)so: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY	PERSISTENCE AND DEGRADABILITY:		
RESULTS OF PBT AND VPVB ASSESSMENT:This product does not contain any substances classified as PBT or vPvB.ECOLOGICAL INFORMATION ON INGREDIENTSLIMONENE I ACUTE AQUATIC TOXICITY $0.1 < L(E)C50 \le 1$ LE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 M factor (Chronic): 1 AMYL SALICYLATE $0.1 < L(E)C50 \le 1$ ACUTE AQUATIC TOXICITY $0.1 < L(E)C50 \le 1$ IE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1	BIOACCUMULATIVE POTENTIAL:		
vPvB.Ecological INFORMATION ON INGREDIENTSLIMONENEACUTE AQUATIC TOXICITYLE(C)50: $0.1 < L(E)C50 \le 1$ M factor (Acute): $0.1 < L(E)C50 \le 1$ CHRONIC AQUATIC TOXICITY 1 M factor (Chronic): 1 AMYL SALICYLATE 1 ACUTE AQUATIC TOXICITY $0.1 < L(E)C50 \le 1$ LE(C)50: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1	MOBILITY IN SOIL:	The product is soluble in water.	
LIMONENEACUTE AQUATIC TOXICITYLE(C)_{50}: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITYM factor (Chronic): 1 AMYL SALICYLATEACUTE AQUATIC TOXICITYLE(C)_{50}: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1	RESULTS OF PBT AND VPVB ASSESSMENT:		
Acute AQUATIC TOXICITYLE(C)50: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 M factor (Chronic): 1 AMYL SALICYLATE 1 ACUTE AQUATIC TOXICITY $0.1 < L(E)C50 \le 1$ LE(C)50: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1	ECOLOGICAL INFORMATION ON INGREDIENTS		
LE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1 AMYL SALICYLATE 1 ACUTE AQUATIC TOXICITY $0.1 < L(E)C50 \le 1$ LE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1	LIMONENE		
M factor (Acute):1CHRONIC AQUATIC TOXICITY1M factor (Chronic):1AMYL SALICYLATE $ACUTE AQUATIC TOXICITY$ LE(C)50: $0.1 < L(E)C50 \le 1$ M factor (Acute):1CHRONIC AQUATIC TOXICITY I	ACUTE AQUATIC TOXICITY		
CHRONIC AQUATIC TOXICITY1M factor (Chronic):1AMYL SALICYLATE $ACUTE AQUATIC TOXICITY$ LE(C)50: $0.1 < L(E)C50 \le 1$ M factor (Acute):1CHRONIC AQUATIC TOXICITY	LE(C)₅₀:	0.1 < L(E)C50 ≤ 1	
M factor (Chronic):1AMYL SALICYLATEACUTE AQUATIC TOXICITYLE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY	M factor (Acute):	1	
AMYL SALICYLATEACUTE AQUATIC TOXICITYLE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY	CHRONIC AQUATIC TOXICITY		
Acute AQUATIC TOXICITYLE(C) $_{50}$: $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY	M factor (Chronic):	1	
LE(C) ₅₀ : $0.1 < L(E)C50 \le 1$ M factor (Acute): 1 CHRONIC AQUATIC TOXICITY 1	AMYL SALICYLATE		
M factor (Acute): 1 CHRONIC AQUATIC TOXICITY	ACUTE AQUATIC TOXICITY		
CHRONIC AQUATIC TOXICITY	LE(C)₅₀:	0.1 < L(E)C50 ≤ 1	
	M factor (Acute):	1	
M factor (Chronic): 1	CHRONIC AQUATIC TOXICITY		
	M factor (Chronic):	1	

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

Dispose of waste product or used containers in accordance with local regulations



14: TRANSPORT INFORMATION	
UN NUMBER:	3082
PROPER SHIPPING NAME:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIMONENE, AMYL SALICYLATE)
TRANSPORT HAZARD CLASS(ES):	°

PACKING GROUP: **ENVIRONMENTAL HAZARDS:** Ш Environmentally hazardous substance/marine pollutant



SPECIAL PRECAUTIONS FOR USER

-	EMS	F-A, S-F
-	ADR TRANSPORT CODE:	3
-	EMERGENCY ACTION CODE:	•3Z
-	HAZARD IDENTIFICATION NUMBER:	90
-	TUNNEL RESTRICTION CODE:	(E)
TRANSPO	RT IN BULK ACCORDING TO ANNEX II	Not applica

cable.

15: REGULATORY INFORMATION

OF MARPOL73/78 AND THE IBC CODE:

EU LEGISLATION:

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Workplace Exposure Limits EH40.

GUIDANCE:



16: OTHER INFORMATION

Key LITERATURE REFERENCES AND SOURCES FOR DATA European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL
H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.