

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: **Pear Fragrance** SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 OAF TELEPHONE: +44 (0)117-9087770. PRODUCT NUMBER: **366** IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

| - | PHYSICAL HAZARDS: | Not Classified |
|---|------------------------|--------------------------|
| - | HEALTH HAZARDS: | Eye Dam. 1 - H318 |
| | | Skin Sens. 1 - H317 |
| | | Repr. 1A - H360 |
| - | ENVIRONMENTAL HAZARDS: | Aquatic Chronic 2 - H411 |

LABEL ELEMENTS





| SIGNAL WORD: | DANGER |
|---------------------------|---|
| HAZARD STATEMENTS: | H317 May cause an allergic skin reaction. |
| | H318 Causes serious eye damage. |
| | H360 May damage fertility or the unborn child. |
| | H411 Toxic to aquatic life with long lasting effects. |
| PRECAUTIONARY STATEMENTS: | P261 Avoid breathing vapour/spray. |
| | P280 Wear protective gloves/protective clothing/eye protection/face |
| | protection. |
| | P302+P352 IF ON SKIN: Wash with plenty of water. |
| | P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P333+P313 If skin irritation or rash occurs: Get medical |
| | advice/attention. |
| | P501 Dispose of contents/container in accordance with national |
| | regulations. |



| SUPPLEMENTARY PRECAUTIONARY | P201 Obtain special instructions before use. |
|-----------------------------|--|
| STATEMENTS: | P202 Do not handle until all safety precautions have been read and understood. |
| | P272 Contaminated work clothing should not be allowed out of the workplace. |
| | P273 Avoid release to the environment. |
| | P308+P313 IF exposed or concerned: Get medical advice/attention. |
| | P310 Immediately call a POISON CENTER/doctor. |
| | P321 Specific treatment (see medical advice on this label). |
| | P362+P364 Take off contaminated clothing and wash it before reuse. |
| | P391 Collect spillage. |
| | P405 Store locked up. |
| CONTAINS: | BENZYL SALICYLATE , GERANIOL, ETHYL METHYLPHENYLGLYCIDATE, |
| | HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE, CITRAL, HEXYL |
| | SALICYLATE, BUTYLPHENYL METHYLPROPIONAL, CINNAMYL ALCOHOL , |
| | LEMON TERPENES, DIMETHYL-3-CYCLOHEXENE-1-CARBALDEHYDE, |
| | CITRONELLOL, HEXYL CINNAMAL, LIMONENE |

3: COMPOSITION/INFORMATION ON INGREDIENTS

| DI PROPYLENE GLYCOL | | 30-60% |
|-----------------------------|--------------------------|--------|
| CAS number: 110-98-5 | EC number: 203-821-4 | |
| Classification | Not Classified | |
| BENZYL SALICYLATE | | 5-10% |
| CAS number: 118-58-1 | EC number: 204-262-9 | |
| Classification | Eye Irrit. 2 - H319 | |
| | Skin Sens. 1B - H317 | |
| | STOT RE 2 - H373 | |
| | Aquatic Chronic 3 - H412 | |
| GERANIOL | | 5-10% |
| CAS number: 106-24-1 | EC number: 203-377-1 | |
| Classification | Skin Irrit. 2 - H315 | |
| | Eye Dam. 1 - H318 | |
| | Skin Sens. 1 - H317 | |
| 2-T-BUTYLCYCLOHEXYL ACETATE | | 5-10% |
| CAS number: 88-41-5 | EC number: 283-493-7 | |
| Classification | Aquatic Chronic 2 - H411 | |
| HEXYL ACETATE | | 5-10% |
| CAS number: 142-92-7 | EC number: 205-572-7 | |
| Classification | Flam. Liq. 3 - H226 | |
| ISOAMYL ACETATE | | 1-5% |
| CAS number: 123-92-2 | EC number: 204-662-3 | |
| Classification | Flam. Liq. 3 - H226 | |
| PHENYLETHYL ALCOHOL | | 1-5% |
| CAS number: 60-12-8 | EC number: 200-456-2 | |
| Classification | Acute Tox. 4 - H302 | |
| | Eye Irrit. 2 - H319 | |

SDS: 366 Pear Fragrace

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 05/08/2019 Version: 3



| ETHYL METHYLPHENYLGLYCIDATE | | 1-5% |
|---------------------------------|---------------------------|-------|
| CAS number: 77-83-8 | EC number: 201-061-8 | |
| Classification | Skin Sens. 1 - H317 | |
| | Aquatic Chronic 2 - H411 | |
| GAMMA-UNDECALACTONE | | 1-5% |
| CAS number: 104-67-6 | EC number: 203-225-4 | |
| Classification | Aquatic Chronic 3 - H412 | |
| ALLYL CAPROATE | | 1-5% |
| CAS number: 123-68-2 | EC number: 204-642-4 | |
| M factor (Acute) | 1 | |
| Classification | Acute Tox. 3 - H301 | |
| | Acute Tox. 3 - H311 | |
| | Acute Tox. 3 - H331 | |
| | Aquatic Acute 1 - H400 | |
| | Aquatic Chronic 3 - H412 | |
| DIMETHYLBENZYL CARBINYL ACETATE | | 1-5% |
| CAS number: 151-05-3 | EC number: 205-781-3 | |
| Classification | Not Classified | |
| HYDROXYISOHEXYL 3-CYCLOHEXENE | CARBOXALDEHYDE | 1-5% |
| CAS number: 31906-04-4 | EC number: 250-863-4 | |
| Classification | Skin Sens. 1B - H317 | |
| CITRAL | | 1-5% |
| CAS number: 5392-40-5 | EC number: 226-394-6 | |
| Classification | Skin Irrit. 2 - H315 | |
| | Eye Irrit. 2 - H319 | |
| | , Skin Sens. 1 - H317 | |
| HEXYL SALICYLATE | | 1-5% |
| CAS number: 6259-76-3 | EC number: 228-408-6 | / , |
| M factor (Acute) | 1 | |
| Classification | - Skin Irrit. 2 - H315 | |
| | Eye Irrit. 2 - H319 | |
| | Skin Sens. 1 - H317 | |
| | Aquatic Acute 1 - H400 | |
| | Aquatic Chronic 1 - H410 | |
| HEXAMETHYLINDANOPYRAN | | 1-5% |
| CAS number: 1222-05-5 | EC number: 214-946-9 | 1 3/0 |
| M factor (Acute) | 1 | |
| M factor (Chronic) | 1 | |
| Classification | Aquatic Acute 1 - H400 | |
| | Aquatic Chronic 1 - H410 | |
| DIETHYL MALONATE | | 1-5% |
| | | T-2/0 |
| CAS number: 105-53-3 | EC number: 203-305-4 | |



| BUTYLPHENYL METHYLPROPIONA | L | <1% |
|-----------------------------------|---------------------------------------|-----|
| CAS number: 80-54-6 | EC number: 201-289-8 | |
| Classification | Acute Tox. 4 - H302 | |
| | Skin Irrit. 2 - H315 | |
| | Skin Sens. 1 - H317 | |
| | Repr. 2 - H361 | |
| | Aquatic Chronic 2 - H411 | |
| CINNAMYL ALCOHOL | | <1% |
| CAS number: 104-54-1 | EC number: 203-212-3 | |
| Classification | Skin Sens. 1B - H317 | |
| LEMON TERPENES | | <1% |
| CAS number: — | | |
| M factor (Acute) | 1 | |
| M factor (Chronic) | 1 | |
| Classification | Flam. Liq. 3 - H226 | |
| | Skin Irrit. 2 - H315 | |
| | Skin Sens. 1 - H317 | |
| | Asp. Tox. 1 - H304 | |
| | Aquatic Acute 1 - H400 | |
| | Aquatic Chronic 1 - H410 | |
| DIMETHYL-3-CYCLOHEXENE-1-CAF | RBALDEHYDE | <1% |
| CAS number: 27939-60-2 | EC number: 248-742-6 | |
| Classification | Skin Irrit. 2 - H315 | |
| | Eye Irrit. 2 - H319 | |
| | Skin Sens. 1B - H317 | |
| | Aquatic Chronic 3 - H412 | |
| CITRONELLOL | | <1% |
| CAS number: 106-22-9 | EC number: 203-375-0 | |
| Classification | Skin Irrit. 2 - H315 | |
| | Eye Irrit. 2 - H319 | |
| | Skin Sens. 1B - H317 | |
| | Aquatic Chronic 2 - H411 | |
| HEXYL CINNAMAL | · · · · · · · · · · · · · · · · · · · | <1% |
| CAS number: 101-86-0 | EC number: 202-983-3 | |
| M factor (Acute) | 1 | |
| Classification | Skin Sens. 1B - H317 | |
| | Aquatic Acute 1 - H400 | |
| | Aquatic Chronic 2 - H411 | |



| LIMONENE | | <1% |
|----------------------|--------------------------|-----|
| CAS number: 138-86-3 | EC number: 205-341-0 | |
| M factor (Acute) | 1 | |
| M factor (Chronic) | 1 | |
| Classification | Flam. Liq. 3 - H226 | |
| | Skin Irrit. 2 - H315 | |
| | Skin Sens. 1 - H317 | |
| | Asp. Tox. 1 - H304 | |
| | Aquatic Acute 1 - H400 | |
| | Aquatic Chronic 1 - H410 | |

The full text for all hazard statements is displayed in Section 16.

4: FIRST AID MEASURES

| INHALATION: | Move affected person to fresh air at once. Get medical attention if |
|-----------------------|--|
| | any discomfort continues. |
| INGESTION: | Rinse mouth thoroughly with water. Give plenty of water to drink. |
| | Get medical attention immediately. |
| SKIN CONTACT: | Remove contaminated clothing immediately and wash skin with soap |
| | and water. Get medical attention if symptoms are severe or persist |
| | after washing. |
| EYE CONTACT: | Remove any contact lenses and open eyelids wide apart. Rinse |
| | immediately with plenty of water. Continue to rinse for at least 15 |
| | minutes. Get medical attention if any discomfort continues. |
| GENERAL INFORMATION: | Persons suffering from asthma, eczema or skin problems should avoid |
| | contact, including dermal contact, with this product. See Section 11 |
| | for additional information on health hazards. |
| NOTES FOR THE DOCTOR: | No specific recommendations. |
| | |

5: FIREFIGHTING MEASURES

| SUITABLE EXTINGUISHING MEDIA: | Foam, carbon dioxide or dry powder. |
|---|---|
| UNSUITABLE EXTINGUISHING MEDIA: | Water. |
| SPECIFIC HAZARDS: | Toxic gases or vapours. |
| Advice for firefighters | |
| - PROTECTIVE ACTIONS DURING FIREFIGHTING: | Containers close to fire should be removed or cooled with water. |
| - SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS: | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |



| 6: ACCIDENTAL RELEASE MEASURES | |
|------------------------------------|--|
| PERSONAL PRECAUTIONS: | Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. |
| ENVIRONMENT PRECAUTIONS: | Do not discharge into drains or watercourses or onto the ground. |
| CLEANING UP METHODS FOR SPILLAGES: | Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage. |
| 7: HANDLING AND STORAGE | |
| USAGE PRECAUTIONS: | Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing. |
| OCCUPATIONAL HYGIENE: | Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. |
| STORAGE PRECAUTIONS: | Store in tightly-closed, original container in a dry, cool and well- ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. |

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

| PROTECTIVE EQUIPMENT: | |
|-----------------------------------|---|
| APPROPRIATE ENGINEERING CONTROLS: | Provide adequate ventilation. |
| EYE/FACE PROTECTION: | Eyewear complying with an approved standard should be worn if a risk assessment indicates |
| | eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. |
| HAND PROTECTION: | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. |
| OTHER SKIN AND BODY PROTECTION: | Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact. |
| HYGIENE MEASURES: | No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. |
| RESPIRATORY PROTECTION: | No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs. |
| ENVIRONMENTAL EXPOSURE CONTROLS: | Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. |
| SDS: 366 Pear Fragrace | |

SDS: 366 Pear Fragrace

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 05/08/2019 Version: 3



| 9: PHYSICAL AND CHEMICAL PROPERTIES | |
|--|--|
| Appearance: | Liquid. |
| COLOUR: | Colourless / Pale Yellow. |
| Odour: | Characteristic. Sweet. Fruity. |
| Flash Point °C: | > 90 |
| SPECIFIC GRAVITY @ 20°C: | ~ 1.012 |
| Refractive index @ 20°C: | ~ 1.449 |
| 10: STABILITY AND REACTIVITY | |
| REACTIVITY: | There are no known reactivity hazards associated with this |
| | product. |
| STABILITY: | Stable at normal ambient temperatures. |
| POSSIBILITY OF HAZARDOUS REACTIONS: | Will not polymerise. |
| CONDITIONS TO AVOID: | Avoid heat, flames and other sources of ignition. |
| MATERIALS TO AVOID: | Strong oxidising agents. Strong acids. Strong alkalis. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Thermal decomposition or combustion may liberate carbon oxides |
| | and other toxic gases or vapours. |
| 11: TOXICOLOGICAL INFORMATION | |
| Eye Contact: | Causes serious eye damage. |
| SKIN CONTACT: | May cause an allergic skin reaction. |
| ACUTE AND CHRONIC HEALTH HAZARDS: | May damage fertility in contact with skin. |
| ACOTE AND CHRONIC HEALTH HAZARDS. | may damage fertility in contact with skin. |
| INFORMATION ON TOXICOLOGICAL EFFECTS | |
| ACUTE TOXICITY - ORAL | |
| ATE oral (mg/kg) | 12,793.77 |
| ACUTE TOXICITY - DERMAL | |
| ATE dermal (mg/kg) | 54,666.67 |
| ACUTE TOXICITY - INHALATION | |
| ATE inhalation (vapours mg/l) | 200.0 |
| TOXICOLOGICAL INFORMATION ON INGREDIENTS | |
| PHENYLETHYL ALCOHOL | |
| ACUTE TOXICITY - ORAL | |
| Acute toxicity oral (LD₅₀mg/kg) | 1,603.3 |
| Species | Rat |
| ATE oral (mg/kg) | 1,603.3 |
| Allyl Caproate | |
| ACUTE TOXICITY - ORAL | |
| Acute toxicity oral (LD₅omg/kg) | 218.0 |
| Species | Rat |
| ATE oral (mg/kg) | 218.0 |
| ACUTE TOXICITY - DERMAL | |
| Acute toxicity dermal (LD₅omg/kg) | 820.0 |
| Species | Rat |
| ATE dermal (mg/kg) | 820.0 |
| ACUTE TOXICITY - INHALATION | |
| ATE inhalation (vapours mg/l) | 3.0 |
| | |

SDS: 366 Pear Fragrace

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 05/08/2019 Version: 3



| 12: ECOLOGICAL INFORMATION | |
|-------------------------------------|---|
| Εςοτοχιςιτγ: | Toxic to aquatic life with long lasting effects. |
| PERSISTENCE AND DEGRADABILITY: | The product contains substances which are not expected to be |
| | biodegradable. |
| BIOACCUMULATIVE POTENTIAL: | The product does not contain any substances expected to be |
| | bioaccumulating. |
| MOBILITY IN SOIL: | The product is insoluble in water. |
| RESULTS OF PBT AND VPVB ASSESSMENT: | This product does not contain any substances classified as PBT or |
| | vPvB. |

| ECOLOGICAL INFORMATION ON INGREDI | ENTS | |
|-----------------------------------|-------------------------|--|
| ALLYL CAPROATE | | |
| ACUTE AQUATIC TOXICITY | | |
| LE(C)₅o | $0.1 < L(E)C50 \le 1$ | |
| M factor (Acute) | 1 | |
| HEXYL SALICYLATE | | |
| ACUTE AQUATIC TOXICITY | | |
| LE(C)₅o | $0.1 < L(E)C50 \le 1$ | |
| M factor (Acute) | 1 | |
| CHRONIC AQUATIC TOXICITY | | |
| NOEC | $0.01 < NOEC \le 0.1$ | |
| Degradability | Rapidly degradable | |
| HEXAMETHYLINDANOPYRAN | | |
| ACUTE AQUATIC TOXICITY | | |
| LE(C) ₅₀ | $0.1 < L(E)C50 \le 1$ | |
| M factor (Acute) | 1 | |
| CHRONIC AQUATIC TOXICITY | | |
| NOEC | $0.001 < NOEC \le 0.01$ | |
| Degradability | Rapidly degradable | |
| M factor (Chronic) | 1 | |

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

Dispose of waste product or used containers in accordance with local regulations



14: TRANSPORT INFORMATION

| UN No. (ADR/RID/IMDG/ICAO/ADN): | 3082 |
|---------------------------------|-------|
| PROPER SHIPPING NAME | ENVIF |
| (ADR/RID/IMDG/ICAO/ADN): | (CON |
| | METH |

INVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. CONTAINS 2-TBUTYLCYCLOHEXYL ACETATE, ETHYL **METHYLPHENYLGLYCIDATE**)

TRANSPORT HAZARD CLASS(ES):

- ADR/RID/ADN CLASS: 9 -ADR/RID/ADN CLASSIFICATION M6 -CODE: 9
- ADR/RID LABEL:
- IMDG CLASS:
- ICAO CLASS/DIVISION:
- -ADN CLASS:

PACKING GROUP:

- -ADR/RID/ADN PACKING GROUP:
- IMDG PACKING GROUP: _
- ADN PACKING GROUP:
 - ICAO PACKING GROUP:

9

9 9

Ш Ш

Ш

Ш

ENVIRONMENTAL HAZARDS:

Environmentally hazardous substance/marine pollutant



| TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE: | Not applicable. |
|---|--|
| SPECIAL PRECAUTIONS FOR USER | |
| - EмS: | F-A, S-F |
| - ADR TRANSPORT CATEGORY: | 3 |
| - EMERGENCY ACTION CODE: | •3Z |
| - HAZARD IDENTIFICATION NUMBER | 90 |
| - (ADR/RID): | |
| - TUNNEL RESTRICTION CODE: | (E) |
| 15: REGULATORY INFORMATION | |
| EU LEGISLATION: | Regulation (EC) No 1272/2008 of the European Parliament and of |
| | the Council of 16 December 2008 on classification, labelling and |
| | packaging of substances and mixtures (as amended). |
| | Regulation (EC) No 1907/2006 of the European Parliament and of |
| | the Council of 18 December 2006 concerning the Registration, |
| | |

n, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

GUIDANCE:

Workplace Exposure Limits EH40.



16: OTHER INFORMATION

Key LITERATURE REFERENCES AND SOURCES FOR DATA European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H360 May damage fertility or the unborn child. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs (Spleen) through prolonged or repeated exposure if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.