

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Rose Fragrance

SUPPLIER: Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA

Telephone +44 (0)117-9087770.

PRODUCT NUMBER: 370

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008)

PHYSICAL HAZARDS: Not classified.

HEALTH HAZARDS: Eye Irrit. 2 - H319
Skin Sens. 1 – H317.

ENVIRONMENTAL HAZARDS: Not Classified

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: WARNING

HAZARD STATEMENTS: H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS: P261 Avoid breathing vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national

regulations.

CONTAINS: CITRONELLOL, GERANIOL

SUPPLEMENTARY PRECAUTIONARY P264 Wash contaminated skin thoroughly after handling.

STATEMENTS P272 Contaminated work clothing should not be allowed out of the

workplace.

P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/

attention

P362+P364 Take off contaminated clothing and wash it before reuse.

SDS: 370 Rose Fragrance

Compiled by: Johndan Chilcott, Regulatory Affairs Officer. Approved by Woody Evans, Director—Date:22/03/2019 - Version: 3
Page 1 of 6



3: COMPOSITION/INFORMATION ON INGREDIENTS

CAS NUMBER: 60-12-8 CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC) CLASSIFICATION (67/548/EEC OR 1999/45/EC) CAS NUMBER: 203-375-0 CLASSIFICATION: CAS NUMBER: 106-22-9 CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CAS NUMBER: 203-375-0 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 C1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified C1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	5-10% PHENYLETHYL ALCOHOL	110
CLASSIFICATION: Acute Tox. 4 - H302 Eye Irrit. 2 - H319 CLASSIFICATION (67/548/EEC or 1999/45/EC) Xn; R22. Xi; R36 1 - 5% CITRONELLOL CAS NUMBER: 106-22-9 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 CLASSIFICATION: EVENUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	0 20,0111211121111211112	50 000 450 0
Eye Irrit. 2 - H319 CLASSIFICATION (67/548/EEC OR 1999/45/EC) 1 - 5% CITRONELLOL CAS NUMBER: 106-22-9 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: Skin Irrit. 2 - H318 Skin Sens. 1 - H318 Skin Sens. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 CLASSIFICATION: Eye Irrit. 2 - H319		
CLASSIFICATION (67/548/EEC OR 1999/45/EC) 1 - 5% CITRONELLOL CAS NUMBER: 106-22-9 CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC): CLASSIFICATION (67/548/EEC OR 1999/45/EC): CLASSIFICATION (67/548/EEC OR 1999/45/EC): CAS NUMBER: 106-24-1 CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 203-377-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 CLASSIFICATION: EVENUMBER: 202-981-2 CLASSIFICATION: EVENUMBER: 202-981-2 EVENUMBER: 203-375-0 EVENUMBER: 202-981-2 EVENUMBER: 203-375-0 EVENU	CLASSIFICATION:	Acute Tox. 4 - H302
1 - 5% CITRONELLOL CAS NUMBER: 106-22-9 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 CLASSIFICATION: EVENUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319		Eye Irrit. 2 - H319
CAS NUMBER: 106-22-9 CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC): CLASSIFICATION (67/548/EEC OR 1999/45/EC): CAS NUMBER: 203-377-1 CLASSIFICATION: CLASSIFICATION: CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC): CLASSIFICATION: CLASSIFICATION (67/548/EEC OR 1999/45/EC): CLASSIFICATION (67/548/EEC OR 1999/45/EC): CLASSIFICATION: CLASSIFICATIO	CLASSIFICATION (67/548/EEC or 1999/45/EC)	Xn; R22. Xi; R36
CLASSIFICATION: Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: EC NUMBER: 203-377-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	1 - 5% CITRONELLOL	
Eye Irrit. 2 - H319 Skin Sens. 1B - H317 Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 CLASSIFICATION: EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	CAS NUMBER: 106-22-9	EC NUMBER: 203-375-0
Skin Sens. 1B - H317	CLASSIFICATION:	Skin Irrit. 2 - H315
Aquatic Chronic 2 - H411 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL CAS NUMBER: 106-24-1 EC NUMBER: 203-377-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 EC NUMBER: 201-550-6 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319		Eye Irrit. 2 - H319
CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R36/38. N; R51/53. R43 1 - 5% GERANIOL EC NUMBER: 203-377-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE		Skin Sens. 1B - H317
1 - 5% GERANIOL CAS NUMBER: 106-24-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: EYE Irrit. 2 - H319		Aquatic Chronic 2 - H411
CAS NUMBER: 106-24-1 CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: EYE NUMBER: 202-981-2 CLASSIFICATION: EYE Irrit. 2 - H319	CLASSIFICATION (67/548/EEC OR 1999/45/EC):	Xi; R36/38. N; R51/53. R43
CLASSIFICATION: Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 EC NUMBER: 201-550-6 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	1 - 5% GERANIOL	
Eye Dam. 1 - H318	CAS NUMBER: 106-24-1	EC NUMBER: 203-377-1
Skin Sens. 1 - H317 CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 EC NUMBER: 201-550-6 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	CLASSIFICATION:	Skin Irrit. 2 - H315
CLASSIFICATION (67/548/EEC OR 1999/45/EC): Xi; R41, R38. R43 <1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 EC NUMBER: 201-550-6 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319		Eye Dam. 1 - H318
<1% DIETHYL PHTHALATE CAS NUMBER: 84-66-2 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319		Skin Sens. 1 - H317
CAS NUMBER: 84-66-2 EC NUMBER: 201-550-6 CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	CLASSIFICATION (67/548/EEC or 1999/45/EC):	Xi; R41, R38. R43
CLASSIFICATION: Not Classified <1% DIPHENYL ETHER CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	<1% DIETHYL PHTHALATE	
<1% DIPHENYL ETHER CAS NUMBER: 101-84-8 CLASSIFICATION: EC NUMBER: 202-981-2 Eye Irrit. 2 - H319	CAS NUMBER: 84-66-2	EC NUMBER: 201-550-6
CAS NUMBER: 101-84-8 EC NUMBER: 202-981-2 CLASSIFICATION: Eye Irrit. 2 - H319	CLASSIFICATION:	Not Classified
CLASSIFICATION: Eye Irrit. 2 - H319	<1% DIPHENYL ETHER	
•	CAS NUMBER: 101-84-8	EC NUMBER: 202-981-2
Annatia Channia 2 11444	CLASSIFICATION:	Eye Irrit. 2 - H319
Aquatic Chronic 2 - H411		Aquatic Chronic 2 - H411
CLASSIFICATION (67/548/EEC or 1999/45/EC): Xi; R36. N; R51/53	CLASSIFICATION (67/548/EEC OR 1999/45/EC):	Xi; R36. N; R51/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.



5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Extinguish with the following media: Foam, carbon dioxide or dry

powder.

Unsuitable Extinguishing Media: Water.

Specific Hazards: Toxic gases or vapours.

ADVICE FOR FIREFIGHTERS: Containers close to fire should be removed or cooled with water.

Wear positive-pressure self-contained breathing apparatus (SCBA)

and appropriate protective clothing.

6: ACCIDENTAL RELEASE MEASURES

CLEANING UP METHODS FOR SPILLAGES:

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

7: HANDLING AND STORAGE

ENVIRONMENT PRECAUTIONS:

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

Storage Precautions: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.



8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

DIETHYL PHTHALATE

LONG-TERM EXPOSURE LIMIT (8-HOUR TWA) WEL 5mg/m²
SHORT-TERM EXPOSURE LIMIT (15-MINUTE): WEL 10mg/m²

DIPHENYL ETHER

LONG-TERM EXPOSURE LIMIT (8-HOUR TWA): WEL 1 ppm 7.1 mg/m³ vapour

WEL = WORKPLACE EXPOSURE LIMIT

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

COLOUR: Colourless to pale yellow.

Appearance: Liquid.

ODOUR: Characteristic.

 FLASH POINT °C:
 87

 SPECIFIC GRAVITY @ 20°C:
 ~ 1.003

 REFRACTIVE INDEX @ 20°C:
 ~ 1.442



10: STABILITY AND REACTIVITY

STABILITY: Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

Avoid heat, flames and other sources of ignition. CONDITIONS TO AVOID:

INCOMPATIBLE MATERIALS Avoid strong oxidising agents. Strong acids. Strong alkalis.

Thermal decomposition or combustion may liberate carbon oxides HAZARDOUS DECOMPOSITION PRODUCTS:

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY - ORAL

ATE ORAL (MG/KG) 19,018.97983393

SKIN CONTACT May cause an allergic skin reaction. **EYE CONTACT**

Causes serious eye irritation.

PHENYLETHYL ALCOHOL

ACUTE TOXICITY - ORAL

ACUTE TOXICITY ORAL (LD50 MG/KG) 1,603.3 **SPECIES** Rat ATE ORAL (MG/KG) 1,603.3

12: ECOLOGICAL INFORMATION

ECOTOXICITY: No negative effects on the aquatic environment are known.

The product contains substances which are not expected to be PERSISTENCE AND DEGRADABILITY:

biodegradable

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations

14: TRANSPORT INFORMATION

UN No. ROAD: Not applicable. Not applicable. UN No. SEA: UN No. AIR: Not applicable. PROPER SHIPPING NAME: Not applicable. TRANSPORT HAZARD CLASS(ES): Not applicable. Not applicable. PACKING GROUP:

ENVIRONMENTALLY HAZARDOUS No.

SUBSTANCE/MARINE POLLUTANT:

TRANSPORT IN BULK ACCORDING TO ANNEX II Not applicable.

OF MARPOL73/78 AND THE IBC CODE:

SDS: 370 Rose Fragrance

Compiled by: Johndan Chilcott, Regulatory Affairs Officer. Approved by Woody Evans, Director - Date: 22/03/2019 - Version: 3 Page 5 of 6



15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration,

Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

GUIDANCE: Workplace Exposure Limits EH40.

16: OTHER INFORMATION

RISK PHRASES IN FULL

R22 Harmful if swallowed.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

HAZARD STATEMENTS IN FULL

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.