

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Samarkand Musk Fragrance

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 381

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

PHYSICAL HAZARDS: Not Classified
 HEALTH HAZARDS: Eye Irrit. 2 - H319
 Skin Sens. 1 - H317

Repr. 2 - H361

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: WARNING

HAZARD STATEMENTS: H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical advice/ attention.



SUPPLEMENTARY PRECAUTIONARY

P201 Obtain special instructions before use.

STATEMENTS:

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container in accordance with national

regulations

CONTAINS: BUTYLPHENYL METHYLPROPIONAL, HYDROXYCITRONELLAL,

CITRONELLOL, UNDECYLENAL, ALPHA-DAMASCONE

3: COMPOSITION/INFORMATION ON INGREDIENTS

HEXAMETHYLINDANOPYRAN		10-30%
CAS number: 1222-05-5	EC number: 214-946-9	
M factor (Acute)	1	
M factor (Chronic)	1	
Classification	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
PHENYLETHYL ALCOHOL		5-10%
CAS number: 60-12-8	EC number: 200-456-2	
Classification	Acute Tox. 4 - H302	
	Eye Irrit. 2 - H319	
BUTYLPHENYL METHYLPROPIONAL		1-5%
CAS number: 80-54-6	EC number: 201-289-8	
Classification	Acute Tox. 4 - H302	
	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	
	Repr. 2 - H361	
	Aquatic Chronic 2 - H411	
METHYL ANTHRANILATE		1-5%
CAS number: 134-20-3	EC number: 205-132-4	
Classification	Eye Irrit. 2 - H319	
HYDROXYCITRONELLAL		1-5%
CAS number: 107-75-5	EC number: 203-518-7	
Classification	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	



CITRONELLOL		1-5%
CAS number: 106-22-9	EC number: 203-375-0	
Classification	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 2 - H411	
UNDECYLENAL		<1%
CAS number: 112-45-8	EC number: 203-973-1	
Classification	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
	Skin Sens. 1B - H317	
	Aquatic Chronic 3 - H412	
ALPHA-DAMASCONE		<1%
CAS number: 23726-94-5	EC number: 245-845-8	
Classification	Acute Tox. 4 - H302	
	Skin Sens. 1B - H317	
PROPYLENE GLYCOL		<1%
CAS number: 57-55-6	EC number: 200-338-0	
REACH registration number:	01-2119456809-23-XXXX	
Classification:	Not Classified	

The full text for all hazard statements is displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

5: FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: Water.

SPECIFIC HAZARDS: Toxic gases or vapours.

ADVICE FOR FIREFIGHTERS

PROTECTIVE ACTIONS DURING
 Containers close to fire should be removed or cooled with water.

FIREFIGHTING:

SPECIAL PROTECTIVE EQUIPMENT
 Wear positive-pressure self-contained breathing apparatus (SCBA)

FOR FIREFIGHTERS: and appropriate protective clothing.

SDS: 381 Samarkand Musk Fragrance



6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

ENVIRONMENT PRECAUTIONS: Do not discharge into drains or watercourses or onto the ground.

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.

7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

OCCUPATIONAL EXPOSURE LIIMTS

PROPYLENE GLYCOL

LONG-TERM EXPOSURE LIMIT (8-HOUR TWA): WEL 10mg/m³ particulate

LONG-TERM EXPOSURE LIMIT (8-HOUR TWA): WEL 150ppm 474mg/m³ total vapour and particulates

WEL = WORKPLACE EXPOSURE LIMITS

PROTECTIVE EQUIPMENT:

HAND PROTECTION:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

SDS: 381 Samarkand Musk Fragrance

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 06/08/2019 -Version: 2

Page 4 of 8



HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid. Colour: Yellow.

ODOUR: Characteristic.

FLASH POINT °C: $> 65^{\circ}$ Specific gravity @ 20°C: ~ 1.004 REFRACTIVE INDEX @ 20°C: ~ 1.469

10: STABILITY AND REACTIVITY

STABILITY: Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Causes serious eye irritation.

SKIN CONTACT: May cause an allergic skin reaction.

ACUTE AND CHRONIC HEALTH HAZARDS: Suspected of damaging fertility or the unborn child.

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY - ORAL

ATE oral (mg/kg) 16,677.05

TOXICOLOGICAL INFORMATION ON INGREDIENTS

PHENYLETHYL ALCOHOL

ACUTE TOXICITY - ORAL

Acute toxicity oral (LD $_{50}$ mg/kg) 1,603.3 Species Rat ATE oral (mg/kg) 1,603.3

BUTYLPHENYL METHYLPROPIONAL

ACUTE TOXICITY - ORAL

Acute toxicity oral (LD $_{50}$ mg/kg) 1,390.0 Species Rat ATE oral (mg/kg) 1,390.0



CITRONELLOL ACUTE TOXICITY - ORAL

Acute toxicity oral (LD₅omg/kg) 3,450.0 **Species** Rat ATE oral (mg/kg) 3,450.0

ACUTE TOXICITY - DERMAL

Acute toxicity dermal (LD₅₀mg/kg) 2,650.0 Species Rabbit ATE dermal (mg/kg) 2,650.0

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Toxic to aquatic life with long lasting effects.

The product contains substances which are not expected to be PERSISTENCE AND DEGRADABILITY:

biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is partly soluble in water and may spread in the

aquatic environment.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

ECOLOGICAL INFORMATION ON INGREDIENTS

HEXAMETHYLINDANOPYRAN

ACUTE AQUATIC TOXICITY

 $0.1 < L(E)C50 \le 1$ LE(C)₅₀

M factor (Acute)

CHRONIC AQUATIC TOXICITY

NOEC $0.001 < NOEC \le 0.01$ Degradability Rapidly degradable

M factor (Chronic) 1

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations



14: TRANSPORT INFORMATION

UN No. (ADR/RID/IMDG/ICAO/ADN): 3082

PROPER SHIPPING NAME ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ADR/RID/IMDG/ICAO/ADN): (CONTAINS HEXAMETHYLINDANOPYRAN, BUTYLPHENYL

METHYLPROPIONAL)

TRANSPORT HAZARD CLASS(ES):

ADR/RID/ADN CLASS:ADR/RID/ADN CLASSIFICATIONM6

CODE:

ADR/RID LABEL: 9
IMDG CLASS: 9
ICAO CLASS/DIVISION: 9
ADN CLASS: 9

PACKING GROUP:

- ADR/RID/ADN PACKING GROUP: III
- IMDG PACKING GROUP: III
- ADN PACKING GROUP: III
- ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous substance/marine pollutant

¥2>

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:

SPECIAL PRECAUTIONS FOR USER

EMS: F-A, S-F
 ADR TRANSPORT CATEGORY: 3
 EMERGENCY ACTION CODE: •3Z

HAZARD IDENTIFICATION NUMBER (ADR/RID):

(ADIGINID).

- TUNNEL RESTRICTION CODE: (E)

15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

Not applicable.

90

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.



16: OTHER INFORMATION

KEY LITERATURE REFERENCES AND SOURCES FOR DATA

European Chemicals Agency, http://echa.europa.eu/

HAZARD STATEMENTS IN FULL

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.