

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Petitgrain Essential Oil

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

PRODUCT NUMBER: 42 CAS NUMBER: 68916-04-1

REACH REGISTRATION NUMBER: 01-2120748358-44-XXXX

INCI: Citrus aurantium amara Leaf Oil

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 68916-04-1

CLASSIFICATION (EC 1272/2008):

- PHYSICAL HAZARDS: Not Classified
- HEALTH HAZARDS: Skin Irrit. 2 H315
Eye Dam. 1 H318
Skin Sens. 1 H317
Asp. Tox. 1 - H304

- ENVIRONMENTAL HAZARDS: Aquatic Chronic 2 - H411

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects. H304 May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENTS: P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P501 Dispose of contents/ container in accordance with national

regulations.



SUPPLEMENTARY PRECAUTIONARY

P261 Avoid breathing vapour/ spray.

STATEMENTS

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage. P405 Store locked up.

CONTAINS: LIMONENE, GERANYL ACETATE, GERANIOL, MYRCENE, BETA-

CARYOPHYLLENE, ALPHA PINENE, THUJ-4(10)-ENE (SABINENE), NEROL,

PIN-2(10)-ENE (BETA-PINENES), p-MENTHA-1,4(8)-DIENE

(TERPINOLENE).

3: COMPOSITION/INFORMATION ON INGREDIENTS

3: COMPOSITION/INFORMATION ON INC	JKENIEN 12	
30-60% LINALYL ACETATE		
CAS NUMBER: 115-95-7	EC NUMBER: 204-116-4	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
10-30% LINALOOL		
CAS NUMBER: 78-70-6	EC NUMBER: 201-134-4	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 - H319	
1-5% LIMONENE		
CAS NUMBER: 138-86-3	EC NUMBER: 205-341-0	
M FACTOR (ACUTE) = 1	M FACTOR (CHRONIC) = 1	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226	
	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	
	Asp. Tox. 1 - H304	
	Aquatic Acute 1 - H400	
	Aquatic Chronic 1 - H410	
1-5% GERANYL ACETATE		
CAS NUMBER: 105-87-3	EC NUMBER: 203-341-5	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Skin Sens. 1 - H317	
	Aquatic Chronic 2 - H411	
1-5% GERANIOL		
CAS NUMBER: 106-24-1	EC NUMBER: 203-377-1	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Dam. 1 - H318	
	Skin Sens. 1 - H317	



1-5% MYRCENE	The state of the s
CAS NUMBER: 123-35-3	EC NUMBER: 204-622-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Asp. Tox. 1 - H304
1-5 % A-TERPINYL ACETATE	
CAS NUMBER: 80-26-2	EC NUMBER: 201-265-7
CLASSIFICATION (EC 1272/2008):	Aquatic Chronic 2 - H411
1-5 % NERYL ACETATE	
CAS NUMBER: 141-12-8	EC NUMBER: 205-459-2
CLASSIFICATION (EC 1272/2008):	Not Classified
1-5% BETA-CARYOPHYLLENE	
CAS NUMBER: 87-44-5	EC NUMBER: 201-746-1
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 - H304
1-5 % ALPHA PINENE	
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9
M FACTOR (ACUTE) = 1	M FACTOR (CHRONIC) = 1
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
1-5% THUJ-4(10)-ENE (SABINENE)	
CAS NUMBER: 3387-41-5	EC NUMBER: 222-212-4
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
1-5% PIN-2(10)-ENE (BETA-PINENES)	
CAS NUMBER: 127-91-3	EC NUMBER: 204-872-5
M FACTOR (ACUTE) = 1	M FACTOR (CHRONIC) = 1
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Skin Irrit. 2 - H315
	Skin Sens. 1B - H317
	Asp. Tox. 1 - H304
	Aquatic Acute 1 - H400
	Aquatic Chronic 1 - H410
1-5% NEROL	FC 202 270 7
CAS NUMBER: 106-25-2	EC NUMBER: 203-378-7
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Skin Sens. 1B - H317



<1% p-MENTHA-1,4(8)-DIENE (TERPINOLENE)

EC NUMBER: 209-578-0 CAS NUMBER: 586-62-9

M FACTOR (CHRONIC) = 1

CLASSIFICATION (EC 1272/2008): Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Extinguish with the following media: Foam, carbon dioxide or dry

powder.

Unsuitable extinguishing media

Water. SPECIAL HAZARDS ARISING FROM THE

SUBSTANCE OR MIXTURE:

Toxic gases or vapours.

SPECIAL PROTECTIVE EQUIPMENT FOR

and appropriate protective clothing.

FIREFIGHTERS EXTINGUISHING PROCEDURES: Containers close to fire should be removed or cooled with water.

6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear suitable protective equipment, including gloves, goggles/face

shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground.

Wear positive-pressure self-contained breathing apparatus (SCBA)

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources

of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as

possible. Wash thoroughly after dealing with a spillage.

ENVIRONMENT PRECAUTIONS:



7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

NERYL ACETATE

LONG-TERM EXPOSURE LIMIT (8-HOUR TWA): WEL 1000 ppm 1920 mg/m³

WEL = WORKPLACE EXPOSURE LIMIT

INGREDIENT COMMENTS: No exposure limits known for ingredient(s).

PROTECTIVE EQUIPMENT:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.



9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

COLOUR:

Pale Yellow.

ODOUR:

Characteristic.

FLASH POINT:

SPECIFIC GRAVITY:

REFRACTIVE INDEX:

Characteristic.

> 74°C Open cup.

> 0.8875 @ 20°C

REFRACTIVE INDEX:

1.459 @ 20°C

Insoluble in water.

10: STABILITY AND REACTIVITY

Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Causes serious eye damage.

SKIN CONTACT: May cause an allergic skin reaction. Causes skin irritation.

INGESTION: May be fatal if swallowed and enters airways.

12: ECOLOGICAL INFORMATION

ECOTOXICITY: Toxic to aquatic life with long lasting effects.

ECOLOGICAL INFORMATION ON INGREDIENTS:

PIN-2(10)-ENE (BETA-PINENES)

ACUTE AQUATIC TOXICITY

 $LE(C)_{50}$ 0.1 < $L(E)C50 \le 1$

M FACTOR (ACUTE)

CHRONIC AQUATIC TOXICITY

M FACTOR (CHRONIC) 1

Persistence and degradability: The product is expected to be biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations



14: TRANSPORT INFORMATION

 UN No. (ADR/RID):
 3082

 UN No. (IMDG):
 3082

 UN No. (ICAO):
 3082

 UN No. (AND):
 3082

PROPER SHIPPING NAME (ADR/RID): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS LIMONENE, GERANYL ACETATE)

PROPER SHIPPING NAME (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS LIMONENE, GERANYL ACETATE)

PROPER SHIPPING NAME (ICAO): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS LIMONENE, GERANYL ACETATE)

PROPER SHIPPING NAME (ADN): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(CONTAINS LIMONENE, GERANYL ACETATE)

TRANSPORT HAZARD CLASS(ES):

ADR/RID CLASS: 9
ADR/RID CLASSIFICATION CODE: M6
ADR/RID LABEL: 9
IMDG CLASS: 9
ICAO CLASS/DIVISION: 9
ADN CLASS: 9



PACKING GROUP:

- ADR/RID/ADN PACKING GROUP: III
- IMDG PACKING GROUP: III
- ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Environmentally hazardous substance/marine pollutant

SPECIAL PRECAUTIONS FOR USER:

EMS F-A, S-F
ADR TRANSPORT CATEGORY 3
EMERGENCY ACTION CODE •3Z
HAZARD IDENTIFICATION NUMBER 90

(ADR/RID)

TUNNEL RESTRICTION CODE (-)

TRANSPORT IN BULK ACCORDING TO ANNEX II

OF MARPOL73/78 AND THE IBC CODE:

Not applicable.



15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

GUIDANCE: Workplace Exposure Limits EH40.

16: OTHER INFORMATION

HAZARD STATEMENTS IN FULL H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.