

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Black Pepper Oil SUPPLIER: Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA Telephone +44 (0)117-9087770. PRODUCT NUMBER: 5 CAS NUMBER: 84929-41-9 EC NUMBER: 284-524-7 INCI: Piper Nigrum Fruit Oil. IDENTIFIED USES: Suitable for cosmetic, fragrance, flavour and professional use only. BIOLOGICAL DEFINITION: The volatile oil obtained by steam distillation from the dried slightly unripe fruits of *Piper nigrum L*.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 84929-41-9v	EC: 284-524-7
CLASSIFICATION (EC 1272/2008)	
Physical hazards:	Flam. Liq. 3 - H226
HEALTH HAZARDS:	Asp. Tox. 1 - H304
	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
ENVIRONMENTAL HAZARDS:	Aquatic Acute 1 – H400
	Aquatic Chronic 1 – H410

LABEL ELEMENTS



SIGNAL WORD: HAZARD STATEMENTS:

DANGER H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects.



PRECAUTIONARY STATEMENTS:	P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.
	P241 Use explosion-proof electrical/ventilating/lighting/equipment.
	P261 Avoid breathing /mist/vapours/spray.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/protective clothing/eye protection
	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all
	contaminated clothing. Rinse skin with water/shower.
	P332+P313 If skin irritation occurs: Get medical advice/attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
	P331 Do NOT induce vomiting.
	P302+P352 IF ON SKIN: Wash with plenty of soap and water.
	P370+P378: In case of fire: Use foam, carbon dioxide or dry powder to extinguish.
	P391 Collect spillage.
	P501 Dispose of contents/container in accordance with
	local/regional/national regulations.
SUPPLEMENTARY PRECAUTIONARY	P362 Take off contaminated clothing and wash before reuse.
STATEMENTS	P264 Wash hands and exposed skin thoroughly after handling.
Contains:	Caryophyllene, d-limonene, beta-Pinene, alpha-Pinene

<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>

25.0 – 35.0% beta-Caryophyllene	
CAS NUMBER: 87-44-5	EC NUMBER: 201-746-1
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 - H304,
	Skin Sens. 1B - H317
<25.0% d-Limonene	
CAS NUMBER: 5989-27-5	EC NUMBER: 227-813-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3, H226,
	Asp. Tox. 1 - H304,
	Skin Irrit. 2 - H315,
	Skin Sens. 1 - H317
	Aquatic Acute 1 – H400,
	Aquatic Chronic 1 - H410
10.0 – 15.0% beta-Pinene	
CAS NUMBER: 127-91-3	EC NUMBER: 204-872-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,
	Asp. Tox. 1 - H304,
	Skin Irrit. 2 - H315,
	Skin Sens. 1 - H317
	Aquatic Acute 1 - H400,
	Aquatic Chronic 1 - H410

SDS: 5 Black Pepper Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans– Date: 22/03/2019 - Version: 3



8.0 – 15.0% Sabinene		
CAS NUMBER: 3387-41-5	EC NUMBER: 222-212-4	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Asp. Tox. 1 - H304	
5.0 – 10.0% alpha-Pinene		
CAS NUMBER: 80-56-8	EC NUMBER: 201-291-9	
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226,	
	Acute Tox. 4 - H302,	
	Asp. Tox. 1 - H304,	
	Skin Irrit. 2 - H315,	
	Skin Sens. 1 - H317,	
	Aquatic Acute 1 - H400,	
	Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

INHALATION:	Remove from exposure area to fresh air. Get medical advice/attention.
INGESTION:	Do not induce vomiting. Ingestion may cause nausea and vomiting. Immediately rinse mouth and provide fresh air. Get medical advice/attention.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if any discomfort continues.
Eye contact:	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical advice/attention. Continue to rinse.
MOST IMPORTANT SYMPTOMS AND EFFECTS,	Burns, Allergic contact dermatitis. The severity of the symptoms will
BOTH ACUTE AND DELAYED:	vary depending of the concentration and the length of exposure.
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:	Treat symptomatically.

5: FIREFIGHTING MEASURES

Extinguishing media recommended: Unsuitable Extinguishing Media	Foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this may scatter and spread fire.
SPECIAL HAZARDS ARISING FROM THE PRODUCT:	Formation of toxic gases is possible during heating or in case of fire.
Advice for firefighters:	Wear self-contained respiratory protective device. Wear fully protective suit.
6: ACCIDENTAL RELEASE MEASURES	

PERSONAL PRECAUTIONS:

ENVIRONMENT PRECAUTIONS: CLEANING UP METHODS FOR SPILLAGES: Ensure adequate ventilation. Wear necessary protective equipment. Avoid contact with eyes and skin. Avoid breathing vapours. Do not discharge into drains, water courses or onto the ground. Cover with an inert, inorganic, non-combustible absorbent material (e.g dry-lime, sand, soda ash). Place in covered containers using nonsparking tools and transport outdoors. Avoid open flames or sources

SDS: 5 Black Pepper

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans– Date: 22/03/2019 - Version: 3



of ignition. Ventilate area and wash spill site after material pickup is complete. Dispose of in accordance with current laws and regulations.

7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING :	The usual precautionary measures are to be adhered to when handling chemicals. Ensure good ventilation/exhaustion at the workplace. Avoid contact with eyes and skin. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of work. Keep ignition sources away - Do not smoke.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	Storage class: Flammable liquid storage. Store only in the original receptacle. Keep container tightly sealed. Keep in cool, dry, ventilated storage and closed containers. Keep away from heat.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

PROTECTIVE EQUIPMENT:



APPROPRIA

EYE/FACE P HAND PROT

OTHER SKIN

HYGIENE M

RESPIRATO

ENVIRONMI

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

ATE ENGINEERING CONTROLS:	Provide adequate ventilation. Use engineering controls to reduce air contamination.
	Provide eyewash station.
PROTECTION:	Avoid contact with eyes. Wear approved safety goggles. (EN166).
DTECTION:	Wear suitable protective gloves that are resistant to chemical
	agents in accordance with standard EN374. Gloves must be
	selected according to the application and duration of use at the workstation.
N AND BODY PROTECTION:	Wear apron or protective clothing. Wear appropriate clothing to prevent any possibility of skin contact.
MEASURES:	Good personal hygiene practices are always advisable, especially when working with chemicals / oils.
DRY PROTECTION:	Generally unnecessary in a well-ventilated area. If ventilation is
	insufficient, respiratory protection must be worn.
IENTAL EXPOSURE CONTROLS:	Avoid discharging into drainage water. Only eliminate by
	authorised companies



essential oils, skincare & aromatherapy products 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colour: Odour: Flash Point °C: Specific gravity @ 20°C: Refractive index @ 20°C: Solubility in Water @20°C

Mobile liquid. Clear pale green / yellow or blue green. Characteristic, warm, spicy. 46.0 - 50.0 0.874 1.483 Insoluble in water.

10: STABILITY AND REACTIVITY

REACTIVITY: CHEMICAL STABILITY POSSIBLE HAZARDOUS REACTIONS CONDITIONS TO AVOID INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS Stable under the recommended handling and storage conditions. Stable under the recommended handling and storage conditions. No additional data available. Avoid heat, flames and other sources of ignition. Avoid contact with strong acids, alkalis or oxidising agents. Toxic gases /vapours may be formed during thermal decomposition.

11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Skin Contact: Serious eye damage / irritation: Respiratory or skin sensitisation: Germ Cell Mutagenicity: Carcinogenicity: Reproductive toxicity: STOT – single exposure: STOT – repeated exposure: Aspiration hazard: Photo – toxicity:

12: ECOLOGICAL INFORMATION

ECOTOXICITY: PERSISTENCE AND DEGRADABILITY: BIOACCUMULATIVE POTENTIAL: MOBILITY IN SOIL:

RESULTS OF PBT AND VPVB ASSESSMENT: PRECAUTIONS: Not classified. Causes skin irritation. Not classified. May cause an allergic reaction. Not classified. Not classified. Not classified. Not classified. Not classified. May be fatal if swallowed and enters airway. No additional data available.

Very toxic to aquatic life with long lasting effects. No additional data available. No additional data available. Very toxic to aquatic life with long lasting effects. Avoid transfer into the environment. No additional data available. Do not allow product to enter streams, sewers or other waterways.



13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:

Dispose of in compliance with all local and national regulations.

14: TRANSPORT INFORMATION

UN NO. ROAD: UN NO. SEA: UN NO. AIR: PROPER SHIPPING NAME: **TRANSPORT HAZARD CLASS(ES):** ADR/RID/AND CLASS: IMDG CLASS: ICAO CLASS/DIVISION

PACKING GROUP:

ADR/RID/AND PACKING GROUP IMDG PACKING GROUP ICAO PACKING GROUP ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT: UN 1169 UN 1169 UN 1169 EXTRACTS, AROMATIC, LIQUID.

3: Flammable Liquid. 3 3

III III Environmentally Hazardous Substance/Marine Pollutant.





SPECIAL PRECAUTIONS FOR USER

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE: This product is flammable and dangerous for the environment. Tunnel restriction code D/E No additional data available.

15: REGULATORY INFORMATION

STATUTORY INSTRUMENTS:

EU LEGISLATION:

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

GUIDANCE:

Workplace Exposure Limits EH40. CHIP for everyone HSG(108).



16: OTHER INFORMATION

HAZARD AND/OR PRECAUTIONARY STATEMENTS IN FULL H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.