

# SAFETY DATA SHEET

## 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME: Ylang Ylang Essential Oil** SUPPLIER: Amphora Aromatics Ltd, 36 Cotham Hill, Cotham, Bristol BS6 6LA Telephone +44 (0)117-9087770. **PRODUCT NUMBER: 54** CAS NUMBER: 83863-30-3 / 8006-81-3 / 68606-83-7 EC NUMBER: 281-092-1 INCI: Cananga Odorata Flower Oil IDENTIFIED USES: No additional data available. BIOLOGICAL DEFINITION: Obtained by the complete distillation of the flowers of Cananga odorata (DC) Hook f. et Thoms subsp. genuina (Fam. Anonaceae).

### 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CAS: 83863-30-3 / 8006-81-3 / 68606-83-7 CLASSIFICATION (EC 1272/2008)

EC: 281-092-1

, - , -	
PHYSICAL HAZARDS:	Not Classified
HEALTH HAZARDS:	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
ENVIRONMENTAL HAZARDS:	H412 Harmful to aquatic life with long lasting effects.

LABEL ELEMENTS



SIGNAL WORD: HAZARD STATEMENTS:

DANGER H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.



PRECAUTIONARY STATEMENTS: Supplementary Precautionary Statements	<ul> <li>P501 Dispose of contents in accordance with local, state or national legislation.</li> <li>P26: Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P321 Specific treatment (see Medical Advice on this label).</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362+P364 Take off contaminated clothing. And wash it before reuse.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P305+P351+P338: IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/attention.</li> <li>P273 Avoid release to the environment.</li> <li>P264 Wash hands and exposed skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P301+P312: IF SWALLOWED Call a POISON CENTER/doctor if you feel unwell.</li> <li>P405 Store locked up.</li> </ul>
	unwell.
CONTAINS:	b-Caryophyllene

## **<u>3: COMPOSITION/INFORMATION ON INGREDIENTS</u></u>**

<19.0% Benzyl Benzoate		
CAS NUMBER: 120-51-4	EC NUMBER: 204-402-9	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302	
	Aquatic Chronic 2 - H411	
<11.0% b-Caryophyllene		
CAS NUMBER: 87-44-5	EC NUMBER: 201-746-1	
CLASSIFICATION (EC 1272/2008):	Asp. Tox. 1 – H304	
<10.0% Linalool		
CAS NUMBER: 78-70-6	EC NUMBER: 201-134-4	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315	
	Eye Irrit. 2 – H319	
<10.0% Benzyl Acetate		
CAS NUMBER: : 140-11-4	EC NUMBER: 205-399-7	
CLASSIFICATION (EC 1272/2008):	Aquatic Chronic 3 – H412	
< 8.0% Benzyl Salicylate		
CAS NUMBER: 118-58-1	EC NUMBER: 204-262-9	
CLASSIFICATION (EC 1272/2008):	Skin Sens. 1 - H317	
	Aquatic Chronic 3 – H412	

SDS: 54 Ylang Ylang Essential Oil



<3.0% Methyl Benzoate	
CAS NUMBER: 93-58-3	EC NUMBER: 202-259-7
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
<3.0 Eugenol%	
CAS NUMBER: 97-53-0	EC NUMBER: 202-589-1
CLASSIFICATION (EC 1272/2008):	Skin Sens. 1B – H317
	Eye Irrit. 2 – H319
<3.0 Geranyl Acetate %	
CAS NUMBER: 105-87-3	EC NUMBER: 203-341-5
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 – H315
	Skin Sens. 1 – H317
	Aquatic Chronic 3 H412
<1.5% Farnesol	
CAS NUMBER: 4602-84-0	EC NUMBER: 225-004-1
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315,
	Eye Irrit. 2 - H319,
	Skin Sens. 1 - H317
<1.5% P-Cresyl Methyl Ether	
CAS NUMBER: 104-93-8	EC NUMBER: 203-253-7
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 – H226
	Acute Tox. 4 - H302
	Skin Irrit. 2 -H315
	Repr. 2 – H361
	Aquatic Chronic 3, H412
<1.0% Geraniol	
CAS NUMBER: 106-24-1	EC NUMBER: 203-377-1
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Skin Sens. 1 - H317
	Eye Dam. 1 - H318
<0.5% Isoeugenol	
CAS NUMBER: 97-54-1	EC NUMBER: 202-590-7
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
	Acute Tox. 4 -H312
	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319
	Skin Sens. 1 -H317
<0.5% Limonene	50
CAS NUMBER: 5989-27-5	EC NUMBER: 227-813-5
CLASSIFICATION (EC 1272/2008):	Flam. Liq. 3 - H226
	Asp. Tox. 1 - H304
	Skin Irrit. 2 – H315
	Skin Sens. 1 - H317
	Aquatic Acute 1 – H400
	Aquatic Chronic 1 – H410

SDS: 54 Ylang Ylang Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director - Date: 25/03/2019 - Version: 4



<0.30% Benzyl Cinnamate		
CAS NUMBER: 103-41-3	EC NUMBER: 203-109-3	
CLASSIFICATION (EC 1272/2008):	Skin Sens. 1 – H317	
	Aquatic Chronic 2 – H411	
<0.20% Citronellol		
CAS NUMBER: 106-22-9	EC NUMBER: 203-375-0	
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 – H315,	
	Skin Sens. 1 – H317,	
	Aquatic Chronic 2 – H411	
<0.15% Benzyl Alcohol		
CAS NUMBER: 100-51-6	EC NUMBER: 202-859-9	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 – H302	
	Eye Irrit. 2 – H319	
	Acute Tox. 4 – H332	
<0.15% Methyl Eugenol		
CAS NUMBER: : 93-15-2	EC NUMBER: 202-223-0	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302,	
	Muta. 2 -H341,	
	Carc. 2 H351	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES	
INHALATION:	Remove victim immediately from source of exposure. Get medical
	attention if any discomfort continues.
INGESTION:	DO NOT INDUCE VOMITING! Immediately rinse mouth and provide
	fresh air. Get medical attention.
SKIN CONTACT:	Remove contaminated clothing immediately and wash skin with soap
	and water. Get medical attention if any discomfort continues.
EYE CONTACT:	Immediately flush with plenty of water for up to 15 minutes. Remove
	any contact lenses and open eyes wide apart. Get medical attention
	immediately. Continue to rinse.
MOST IMPORTANT SYMPTOMS AND EFFECTS,	Inhalation: Exhaustion and weakness. Upper respiratory irritation.
BOTH ACUTE AND DELAYED:	Ingestion: May cause discomfort if swallowed.
	Skin Contact: Skin Irritation.
	Eye contact: Irritation of eyes and mucous membranes.
INDICATION OF ANY IMMEDIATE MEDICAL	Indication of any immediate medical attention and special treatment
ATTENTION AND SPECIAL TREATMENT NEEDED	needed
5: FIREFIGHTING MEASURES	
EXTINGUISHING MEDIA RECOMMENDED:	Alcohol resistant foam, Carbon dioxide, Dry chemical, Water fog.
SPECIAL HAZARDS ARISING FROM THE	Emits toxic fumes under fire conditions.
PRODUCT:	

Advice FOR FIREFIGHTERS Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.

SDS: 54 Ylang Ylang Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 25/03/2019 - Version: 4 Page 4 of 8



6: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS:	Wear necessary protective equipment. Avoid contact with eyes and skin.
ENVIRONMENT PRECAUTIONS: METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:	Do not allow to enter sewers/ surface or ground water. Cover with an inert, inorganic, non-combustible absorbent material (e.g dry-lime, sand, soda ash). Place in covered containers using non- sparking tools and transport outdoors. Avoid open flames or courses of ignition. Ventilate area and wash spill site after material pickup is
REFERENCE TO OTHER SECTIONS	complete. Dispose of in accordance with current laws and regulations. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	Usual safety precautions should be observed to ensure safe handling. Ensure good ventilation/exhaustion at the workplace. Avoid spillage. Avoid contact with eyes and skin.
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	Keep product in its original container well sealed, in a dry, ventilated area, away from potential sources of ignition and protected from light. Stock according to local / national regulations and always follow the precautions indicated on labels.
SPECIFIC END USE(S)	No additional data available.

### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS	
INGREDIENTS WITH LIMIT VALUES THAT	The product does not contain any relevant quantities of materials with
REQUIRE MONITORING AT THE WORKPLACE:	critical values that have to be monitored at the workplace.

**PROTECTIVE EQUIPMENT:** 



APPROPRIATE ENGINEERING CONTROLS:

Eye/face protection: Hand protection: Other skin and body protection: Provide adequate ventilation. Provide eyewash station. Wear approved safety goggles. Chemical resistant gloves (PVC). Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of splashes. Use personal protection according to Directive 89/686/EEC. Good personal hygiene practices are always advisable, especially when working with chemicals / oils.

HYGIENE MEASURES:

SDS: 54 Ylang Ylang Essential Oil

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 25/03/2019 - Version: 4 Page 5 of 8



RESPIRATORY PROTECTION: ENVIRONMENTAL EXPOSURE CONTROLS: For high concentrations use respiratory equipment. Avoid discharging into drainage water. Only eliminate by authorised companies.

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colour: Odour: Flash Point °C: Specific gravity @ 20°C: Refractive index @ 20°C: Melting Point (°C) Boiling Point (°C Vapour Pressure Solubility in Water @ 20°C Auto-ignition temperature (°C)

#### **10: STABILITY AND REACTIVITY**

REACTIVITY: CHEMICAL STABILITY

Possible hazardous reactions Conditions to Avoid Incompatible materials Hazardous Decomposition Products Mobile liquid. Yellow to brown yellow. Characteristic. 87 0.904 – 0.955 1.490 – 1.520 No additional data available. No additional data available. No additional data available. Insoluble in water. No additional data available.

No dangerous reactions known. Stable under recommended storage and handling conditions (See section 7). No dangerous reactions known. Avoid heat, flames and other sources of ignition Strong oxidizers Fire or high temperatures create: Toxic gases/vapours Carbon monoxide Carbon dioxide Nitrogen oxides (NOx).

#### **11: TOXICOLOGICAL INFORMATION**

Acute Toxicity Skin corrosion / irritation Serious eye damage / irritation Respiratory or skin sensitisation Germ Cell Mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Photo-toxicity Other Information Harmful if swallowed Causes skin irritation. May cause an allergic skin reaction Causes serious eye irritation. No additional data available. May be fatal if swallowed and enters airways. No additional data available. No additional data available. May be fatal if swallowed and enters airways. No additional data available. No additional data available.

SDS: 54 Ylang Ylang Essential Oil Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director – Date: 25/03/2019 - Version: 4 Page 6 of 8



## **12: ECOLOGICAL INFORMATION**

Εςοτοχιςιτγ:	Harmful to aquatic life with long lasting effects.
PERSISTENCE AND DEGRADABILITY:	No additional data available.
BIOACCUMULATIVE POTENTIAL:	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
MOBILITY IN SOIL:	The product is insoluble in water
RESULTS OF PBT AND VPVB ASSESSMENT:	No additional data available.
PRECAUTIONS:	Do not allow product to enter streams, sewers or other waterways.

## **13: DISPOSAL CONSIDERATIONS**

DISPOSAL METHODS:

Do not re-use empty containers. Empty residue into a suitable disposal site. Dispose of in compliance with all local and national regulations.

## **14: TRANSPORT INFORMATION**

UN NO. ROAD:
UN NO. SEA:
UN NO. AIR:
PROPER SHIPPING NAME:
TRANSPORT HAZARD CLASS(ES):
PACKING GROUP:
Environmentally hazardous
SUBSTANCE/MARINE POLLUTANT:
TRANSPORT IN BULK ACCORDING TO ANNEX II
OF MARPOL73/78 AND THE IBC CODE:

Not regulated. Not regulated. Not regulated. None Not regulated Not regulated Not hazardous.

No additional data available.

## **15: REGULATORY INFORMATION**

**STATUTORY INSTRUMENTS** 

EU LEGISLATION:

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### **GUIDANCE:**

Workplace Exposure Limits EH40. CHIP for everyone HSG(108



#### **16: OTHER INFORMATION**

HAZARD AND/OR PRECAUTIONARY STATEMENTS IN FULL H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H322 Harmful if inhaled.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H361 Suspected of damaging fertility or the unborn child
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.