

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Carnation Absolute

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 220

IDENTIFIED USES: Concentrated material for manufacturing purposes only.

2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008):

PHYSICAL HAZARDS: Flam. Liq. 3 - H226
 HEALTH HAZARDS: Eye Irrit. 2 - H319
 Skin Sens. 1 - H317

ENVIRONMENTAL HAZARDS: Aquatic Chronic 3 - H412

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: WARNING

HAZARD STATEMENTS: H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

PRECAUTIONARY STATEMENTS: P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing.
Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P337+P313 If eye irritation persists: Get medical advice/attention.

SUPPLEMENTARY PRECAUTIONARY P233 Keep container tightly closed.

STATEMENTS P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

SDS: 220 Carnation Absolute

Compiled by: Johndan Chilcott, Regulatory Affairs - Approved by Woody Evans, Director–Date: 06/12/2019 - Version: 1

Page 1 of 7



P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical

advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or

water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with national

regulations.

CONTAINS: EUGENOL, BENZYL SALICYLATE

3: COMPOSITION/INFORMATION ON INGREDIENTS

10-30% EUGENOL	
CAS NUMBER: 97-53-0	EC NUMBER: 202-589-1
CLASSIFICATION (EC 1272/2008):	Eye Irrit. 2 - H319
	Skin Sens. 1B - H317
10-30% BENZYL BENZOATE	
CAS NUMBER: 120-51-4	EC NUMBER: 204-402-9
M FACTOR (ACUTE) = 1	
CLASSIFICATION (EC 1272/2008):	Acute Tox. 4 - H302
	Aquatic Acute 1 - H400
	Aquatic Chronic 2 - H411
1-5% BENZYL SALICYLATE	
CAS NUMBER: 118-58-1	EC NUMBER: 204-262-9
CLASSIFICATION (EC 1272/2008):	Eye Irrit. 2 - H319
	Skin Sens. 1B - H317
	STOT RE 2 - H373
	Aquatic Chronic 3 - H412
1-5% LINALOOL	
CAS NUMBER: 78-70-6	EC NUMBER: 201-134-4
CLASSIFICATION (EC 1272/2008):	Skin Irrit. 2 - H315
	Eye Irrit. 2 - H319

The full text for all hazard statements is displayed in Section 16.



4: FIRST AID MEASURES

INHALATION: Move affected person to fresh air at once. Get medical attention if

any discomfort continues.

INGESTION: Rinse mouth thoroughly with water. Give plenty of water to drink.

Get medical attention immediately.

SKIN CONTACT: Remove contaminated clothing immediately and wash skin with soap

and water. Get medical attention if symptoms are severe or persist

after washing.

EYE CONTACT: Remove any contact lenses and open eyelids wide apart. Rinse

immediately with plenty of water. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

GENERAL INFORMATION: Persons suffering from asthma, eczema or skin problems should avoid

contact, including dermal contact, with this product. See Section 11

for additional information on health hazards.

NOTES FOR THE DOCTOR: No specific recommendations.

5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Extinguish with the following media: Foam, carbon dioxide or dry

powder.

Unsuitable extinguishing media: Water.

Specific Hazards: Toxic gases or vapours.

ADVICE FOR FIREFIGHTERS

PROTECTIVE ACTIONS DURING

FIREFIGHTING:

SPECIAL PROTECTIVE EQUIPMENT

FOR FIREFIGHTERS:

Containers close to fire should be removed or cooled with water.

Wear positive-pressure self-contained breathing apparatus (SCBA)

and appropriate protective clothing.

6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: WEAR SUITABLE PROTECTIVE EQUIPMENT, INCLUDING GLOVES, GOGGLES/FACE

SHIELD, RESPIRATOR, BOOTS, CLOTHING OR APRON, AS APPROPRIATE. NO SMOKING,

SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE.

ENVIRONMENT PRECAUTIONS: Do not discharge into drains or watercourses or onto the ground.

CLEANING UP METHODS FOR SPILLAGES: Keep combustible materials away from spillage. Eliminate all sources

of ignition. Provide adequate ventilation. Contain and absorb spillage

with sand, earth or other non-combustible material. The

contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and

seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as

possible. Wash thoroughly after dealing with a spillage.



7: HANDLING AND STORAGE

USAGE PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety

data sheet. Avoid contact with skin, eyes and clothing.

OCCUPATIONAL HYGIENE: Do not eat, drink or smoke when using this product. Wash at the

end of each work shift and before eating, smoking and using the

toilet.

STORAGE PRECAUTIONS: Store in tightly-closed, original container in a dry, cool and well-

ventilated place. Keep away from heat, sparks and open flame.

Protect from freezing and direct sunlight.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:

HAND PROTECTION:



APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation.

Eye/FACE PROTECTION: Eyewear complying with an approved standard should be worn if a

risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield. Chemical-resistant, impervious gloves complying with an approved

chemical-resistant, impervious gioves complying with an approved

standard should be worn if a risk assessment indicates skin contact

is possible.

OTHER SKIN AND BODY PROTECTION: Wear appropriate clothing to prevent any possibility of skin

contact. Wear apron or protective clothing in case of contact.

HYGIENE MEASURES: No specific hygiene procedures recommended but good personal

hygiene practices should always be observed when working with

chemical products.

RESPIRATORY PROTECTION: No specific recommendations. Respiratory protection may be

required if excessive airborne contamination occurs.

ENVIRONMENTAL EXPOSURE CONTROLS: Residues and empty containers should be taken care of as

hazardous waste according to local and national provisions.

9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid.

COLOUR: Green to orange brown.

ODOUR: Characteristic.

FLASH POINT: 26°C

Specific gravity: ~ 1.017 @ 20°C Refractive index: ~ 1.504 @ 20°C



10: STABILITY AND REACTIVITY

REACTIVITY: No data.

STABILITY: Stable at normal ambient temperatures.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not polymerise.

CONDITIONS TO AVOID: Avoid heat, flames and other sources of ignition.

MATERIALS TO AVOID: Strong oxidising agents. Strong acids. Strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapours.

11: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY - ORAL

- ATE ORAL (MG/KG): 10000.0

EYE CONTACT: Causes serious eye irritation.

SKIN CONTACT: May cause an allergic skin reaction.

TOXICOLOGICAL INFORMATION ON INGREDIENTS

BENZYL BENZOATE

ACUTE TOXICITY — ORAL:

ACUTE TOXICITY ORAL (LD₅₀ MG/KG): 1500.0 SPECIES: Mouse ATE ORAL (MG/KG): 1500.0

ACUTE TOXICITY — DERMAL

ACUTE TOXICITY DERMAL (LD $_{50}$ MG/kG): 4000 SPECIES: Rabbit ATE DERMAL (MG/kG): 4000

12: ECOLOGICAL INFORMATION

ECOTOXICITY: No negative effects on the aquatic environment are known.

ECOLOGICAL INFORMATION ON INGREDIENTS.

BENZYL BENZOATE

ACUTE AQUATIC TOXICITY:

 $LE(C)_{50}$: $0.1 < L(E)C50 \le 1$

M FACTOR (ACUTE): 1

Persistence and degradability: The product is expected to be biodegradable.

BIOACCUMULATIVE POTENTIAL: The product does not contain any substances expected to be

bioaccumulating.

MOBILITY IN SOIL: The product is insoluble in water.

RESULTS OF PBT AND VPVB ASSESSMENT: This product does not contain any substances classified as PBT or

vPvB.

13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of waste product or used containers in accordance with

local regulations



14: TRANSPORT INFORMATION

UN No. (ADR/RID/IMDG/ICAO/ADN): 1169

PROPER SHIPPING NAME EXTRACTS, AROMATIC, LIQUID.

(ADR/RID/IMDG/ICAO/ADN):

TRANSPORT HAZARD CLASS(ES):

- ADR/RID/ CLASS: 3
- ADR/RID CLASSIFICATION CODE: F1
- ICAO CLASS: 3
- ADR/RID LABEL: 3
- IMDG CLASS: 3
- ICAO CLASS/DIVISION: 3
- ADN CLASS: 3



- ADR/RID/ADN PACKING GROUP: III
- IMDG PACKING GROUP: III
- ICAO PACKING GROUP: III

ENVIRONMENTAL HAZARDS: Not applicable.

SPECIAL PRECAUTIONS FOR USER

EMS F-E, S-D
ADR TRANSPORT CATEGORY: 3
EMERGENCY ACTION CODE: 3Y
HAZARD IDENTIFICATION NUMBER (ADR/RID):
TUNNEL RESTRICTION CODE: (D/E)

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE:

Not applicable.

15: REGULATORY INFORMATION

EU LEGISLATION: Regulation (EC) No 1272/2008 of the European Parliament and of

the Council of 16 December 2008 on classification, labelling and

packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as

amended).

GUIDANCE: Workplace Exposure Limits EH40.



16: OTHER INFORMATION

HAZARD STATEMENTS IN FULL

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs (Spleen) through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.