

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME: Focus Aromatherapy Blend

SUPPLIER: Amphora Aromatics Limited, Airfield House, Western Drive, Bristol, BS14 0AF

TELEPHONE: +44 (0)117-9087770.

PRODUCT NUMBER: 69

INCI: Rosmarinus officinalis leaf oil, Eugenia caryphyllus bud oil, Citrus limon peel oil, Eucalyptus globulus leaf oil,

Commiphora myrrha oil, Citrus aurantium bergamia fruit oil.

IDENTIFIED USES: Fragrance

2: HAZARDS IDENTIFICATION

Flammable Liquid, Hazard Category 3 Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1

LABEL ELEMENTS

PICTOGRAM:



SIGNAL WORD: DANGER

HAZARD STATEMENTS: H226, Flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

SUPPLEMENTAL INFORMATION: EUH208, Contains Citral, Terpinolene, alpha-Pinene, dl-Limonene

(racemic), I-Limonene. May produce an allergic reaction

PRECAUTIONARY STATEMENTS: P210, Keep away from heat, sparks, open flames and hot surfaces. - No

smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

SDS: 69 Focus Aromatherapy Blend

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs – Date: 18/06/2019 - Version: 2
Page 1 of 8



P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

3: COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS	EC	%	Classification for (CLP) 1272/2008
d-Limonene	5989-27-5	227-813-5	20-<50%	FL 3-SCI 2-SS 1B-AH 1-EH A1- EH C1;
				H226-H304-H315-H317-H410-
Eugenol	97-53-0	202-589-1	10-<20%	EDI 2-SS 1B;
				H317-H319
Eucalyptol	470-82-6	207-431-5	10-<20%	FL 3-SS 1B;
				H226-H317
1,4-Cineole	470-67-7	207-428-9	5-<10%	FL 3;
				H226
beta-Pinene	127-91-3	204-872-5	5-<10%	FL 3-SCI 2-SS 1B-AH 1-EH A1-
				EH C1;
				H226-H304-H315-H317-H410
beta-Caryophyllene	87-44-5	201-746-1	5-<10%	AH 1;
				H304



alpha-Pinene	80-56-8	201-291-9	1-<5%	SCI 2-SS 1B-AH 1; H304-H315-H317
p-Mentha-1,4-diene	99-85-4	202-794-6	1-<5%	FL 3-AH 1;
1,7,7-	76-22-2	200-945-0	1-<5%	H226-H304 FS 2-ATO 4-ATI 4-
Trimethylbicyclo[2.2.1]heptan-2- one				STO-SE 2; H228-H302-H332-H371
Eugenyl acetate	93-28-7	202-235-6	1-<5%	ATO 4; H302
Linalyl acetate	115-95-7	204-116-4	1-<5%	SCI 2-EDI 2; H315-H319
Camphene	79-92-5	201-234-8	1-<5%	FL 3-FS 2-EDI 2-EHA1-EH C1; H226-H228-H319-H410
p-Cymene	99-87-6	202-796-7	0.1-<1%	FL 3-AH 1-EH C2; H226-H304-H411
Myrcene	123-35-3	204-622-5	0.1-<1%	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315-H319
dl-Limonene (racemic)	138-86-3	205-341-0	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1- EH C1; H226-H304-H315-H317-H410
l-Limonene	5989-54-8	227-815-6	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1- EH C1; H226-H304-H315-H317-H410
Citral	5392-40-5	226-394-6	0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319
Terpinolene	586-62-9	209-578-0	0.1-<1%	SS 1B-AH 1-EH A1-EH C1; H304-H317-H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4: FIRST AID MEASURES

Ingestion: Immediately call a POISON CENTER or doctor/physician

SKIN CONTACT: Remove/take off immediately all contaminated clothing. Rinse skin

with water/shower.

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

MOST IMPORTANT SYMPTOMS AND EFFECTS, May be fatal if swallowed and enters airways.

BOTH ACUTE AND DELAYED: Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.



5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Carbon dioxide, Dry chemical, Foam

Special measures: In case of fire, may be liberated: Carbon monoxide, Unidentified

organic compounds.

ADVICE FOR FIRE FIGHTERS: In case of insufficient ventilation, wear suitable respiratory

equipment.

6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Avoid inhalation. Avoid contact with skin and eyes. See protective

measures under Section 7 and 8

ENVIRONMENT PRECAUTIONS: Keep away from drains, surface and ground water, and soil.

CLEANING UP METHODS FOR SPILLAGES: Remove ignition sources. Provide adequate ventilation. Avoid

excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

7: HANDLING AND STORAGE

HANDLING PRECAUTIONS: Keep away from heat, sparks, open flames and hot surfaces. - No

smoking.

STORAGE PRECAUTIONS: Ground/bond container and receiving equipment. Use only non-

sparking tools. Take precautionary measures against static

discharge.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Wear protective eye protection/face protection.

HAND PROTECTION: Wear protective gloves.

RESPIRATORY PROTECTION: Under normal conditions of use and where adequate ventilation is

available to prevent build-up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel:

a) Increase ventilation of the area with local exhaust ventilation.
b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters.
c) Use closed systems for transferring and processing this material.

9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Mobile liquid
COLOUR: Pale yellow
ODOUR: Herbal
FLASH POINT °C: 43
SPECIFIC GRAVITY @ 20°C: ~0.937
REFRACTIVE INDEX @ 20°C: ~1.491



10: STABILITY AND REACTIVITY

REACTIVITY: Presents no significant reactivity hazard, by itself or in contact with

water.

CHEMICAL STABILITY: Good stability under normal storage conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: Not expected under normal conditions of use.

CONDITIONS TO AVOID: Avoid extreme heat.

INCOMPATIBLE MATERIALS: Avoid contact with strong acids, alkalis or oxidising agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Not expected.

11: TOXICOLOGICAL INFORMATION

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

ACUTE TOXICITY ORAL: 4907

ACUTE TOXICITY DERMAL: Not Applicable
 ACUTE TOXICITY INHALATION: Not Available

SKIN CORROSION/IRRITATION:
Skin Corrosion / Irritation Category 2
SERIOUS EYE DAMAGE/IRRITATION:
Eye Damage / Irritation Category 2
RESPIRATORY OR SKIN SENSITISATION:
Sensitization - Skin Category 1

GERM CELL MUTAGENICITY:

Based on available data the classification criteria are not met.

CARCINOGENICITY:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

STOT-SINGLE EXPOSURE:

Based on available data the classification criteria are not met.

STOT-REPEATED EXPOSURE:

Based on available data the classification criteria are not met.

ASPIRATION HAZARD: Aspiration Hazard Category 1

INFORMATION ABOUT HAZARDOUS INGREDIENTS IN THE MIXTURE:

1,7,7-Trimethylbicyclo[2.2.1]heptan-2-oneCAS: 76-22-2 EC: 200-945-0

LD50/ATE ORAL: 1500

LD50/ATE DERMAL Not available

LC50/ATE INHALATION 1.5

LC50 ROUTE Dust/mist

Eugenyl acetate

CAS: 93-28-7 EC: 202-235-6

LD50/ATE ORAL: 1670

LD50/ATE DERMAL Not available
LC50/ATE INHALATION Not available
LC50 ROUTE Not available



12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

PERSISTENCE AND DEGRADABILITY: Not available Not available BIOACCUMULATIVE POTENTIAL: MOBILITY IN SOIL: Not available

RESULTS OF PBT AND VPVB ASSESSMENT: This substance does not meet the PBT/vPvB criteria of REACH, annex

XIII.

13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations. Avoid disposing DISPOSAL METHODS:

> into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14: TRANSPORT INFORMATION

UN1169 UN NUMBER:

PROPER SHIPPING NAME: Extracts, Aromatic, Liquid

TRANSPORT HAZARD CLASS(ES):

PACKING GROUP: Ш

ENVIRONMENTAL HAZARDS: This is an environmentally

hazardous substance



TRANSPORT IN BULK ACCORDING TO ANNEX II

REGULATIONS/LEGISLATION SPECIFIC FOR THE

OF MARPOL73/78 AND THE IBC CODE:

Not applicable

15: REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL None additional.

SUBSTANCE OR PRODUCT:

CHEMICAL SAFETY ASSESSMENT: A Chemical Safety Assessment has not been carried out for this

product.



16: OTHER INFORMATION

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application. Retest after 6 months.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its' correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

KEY TO ABBREVIATIONS

AH 1 Aspiration Hazard Category 1

ATI 4 Acute Toxicity - Inhalation Category 4

ATO 4 Acute Toxicity - Oral Category 4

EDI 2 Eye Damage / Irritation Category 2

EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1

EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1

EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

FL 3 Flammable Liquid, Hazard Category 3

FS 2 Flammable Solid, Hazard Category 2

H226 Flammable liquid and vapour.

H228 Flammable solid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H371 May cause damage to organs (organs, exposure route).

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating and lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapour or dust.

P261 Avoid breathing vapour or dust.

P264 Wash hands and other contacted skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

SDS: 69 Focus Aromatherapy Blend

Compiled by: Geoffrey Harris, Quality Control - Approved by Johndan Chilcott, Regulatory Affairs—Date: 18/06/2019 - Version: 2
Page 7 of 8



P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

P302/352 IF ON SKIN: Wash with plenty of soap and water.

P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P309/311 IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.

P312 Call a POISON CENTRE or doctor/physician if you feel unwell.

P330 Rinse mouth.

P331 Do not induce vomiting.

P332/313 If skin irritation occurs: Get medical advice/attention.

P333/313 If skin irritation or rash occurs: Get medical advice/attention.

P337/313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391 Collect spillage.

P403/235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to approved disposal site, in accordance with local regulations.

SCI 2 Skin Corrosion / Irritation Category 2

SS 1B Sensitization - Skin Category 1B

STO-SE 2 Specific Target Organ Toxicity (Single Exposure) Category 2